

P6T7 WS SUPERCOMPUTER Memory Qualified Vendors List (QVL) BIOS 0206
P6T7 WS SUPERCOMPUTER DDR3 1067 Qualified Vendors List (QVL)

Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Dimm(Bios)	Voltage	DIMM socket support (Optional)			
									A*	B*	C*	D*
CORSAIR	CM3X1024-1066C7	DDR3 1067	1024MB	DS	N/A	Heat-Sink Package	7	1.1	•	•	•	•
Crucial	CT12864BA1067.8SFD	DDR3 1067	1024MB	SS	MICRON	D9JNL	7		•	•	•	•
Crucial	CT25664BA1067.16SFD	DDR3 1067	2048MB	DS	MICRON	D9JNL	7		•	•	•	•
ELPIDA	EBJ10UE8BAW0-AE-E	DDR3 1067	1024MB	SS	ELPIDA	J1108BABG-DJ-E	7(1066-7-7-7-20)		•	•	•	•
ELPIDA	EBJ11RD8BAFA-AE-E	DDR3 1067	1024MB	DS	ELPIDA	J5308BASE-AC-E(ECC)	7		•	•	•	•
ELPIDA	EBJ11UD8BAFA-AG-E	DDR3 1067	1024MB	DS	ELPIDA	J5308BASE-AC-E	8		•	•	•	•
ELPIDA	EBJ21UE8BAW0-AE-E	DDR3 1067	2048MB	DS	ELPIDA	J1108BABG-DJ-E	7(1066-7-7-7-20)		•	•	•	•
Hynix	HMT112U6AFP8C-G7N0	DDR3 1067	1024MB	SS	HYNIX	H5TQ1G83AFP7G7C	7		•	•	•	•
Hynix	HYMT112U64ZNF8-G7	DDR3 1067	1024MB	SS	HYNIX	HY5TQ1G831ZNF7-G7	7		•	•	•	•
Hynix	HMT125U6AFP8C-G7N0	DDR3 1067	2048MB	DS	HYNIX	H5TQ1G83AFP7G7C	7		•	•	•	•
Hynix	HYMT125U64ZNF8-G7	DDR3 1067	2048MB	DS	HYNIX	HY5TQ1G831ZNF7-G7	7		•	•	•	•
KINGSTON	KVR1066D3N7/1G	DDR3 1067	1024MB	SS	ELPIDA	J1108BABG-DJ-E	1066-7-7-7-20	1.5	•	•	•	•
KINGSTON	KVR1066D3N7/2G	DDR3 1067	2048MB	DS	ELPIDA	J1108BABG-DJ-E	1066-7-7-7-20	1.5	•	•	•	•
KINGSTON	KVR1066D3N7/4G	DDR3 1067	4096MB	DS	SAMSUNG	K4B2G0846B-HCF8	1066-7-7-7-20	1.5	•	•	•	•
MICRON	MT8JTF12864AY-1G1D1	DDR3 1067	1024MB	SS	MICRON	7VD22	7		•	•	•	•
MICRON	MT16JTF25664AY-1G1D1	DDR3 1067	2048MB	DS	MICRON	7VD22	7		•	•	•	•
SAMSUNG	M378B5273BH1-CF8	DDR3 1067	4096MB	DS	SAMSUNG	K4B2G0846B-HCF8	8(7-7-7-20)	1.5	•	•	•	•
Transcend	TS256MLK64V1U	DDR3 1067	2048MB	DS	ELPIDA	J1108BABG-AE-E	7(1066-7-7-7-20)		•	•	•	•
Asint	SLY3128MB-EAE	DDR3 1067	1024MB	SS	Asint	DDRIII1208-AE	(7-7-7-20)		•	•	•	•
Asint	SLZ3128MB-EAE	DDR3 1067	2048MB	DS	Asint	DDRIII1208-AE	(7-7-7-20)		•	•	•	•
Ellixir	M2F2G64C88HAN4-BE	DDR3 1067	2048MB	DS	Ellixir	N2CB1G80AN-BE	7		•	•	•	•
WINTec	3DU3191A-10	DDR3 1067	1024MB	DS	Qimonda	IDSH51-03A1F1C-10F	7		•	•	•	•

P6T7 WS SUPERCOMPUTER Memory Qualified Vendors List (QVL) BIOS 0206
P6T7 WS SUPERCOMPUTER DDR3 1333 Qualified Vendors List (QVL)

Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Dimm(Bios)	Voltage	DIMM socket support (Optional)			
									A*	B*	C*	D*
A-DATA	AD133301GOU	DDR3 1333	1024MB	SS	A-DATA	AD30908C8D-15IG	1333-9-9-9-24		•	•	•	•
A-DATA	AD1333002GOU	DDR3 1333	2048MB	DS	A-DATA	AD30908C8D-15IG	1333-9-9-9-24		•	•	•	•
A-DATA	AD31333E002GOU	DDR3 1333	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	7-7-7-20(1333-9-9-9-24)	1.65-1.85	•	•	•	•
Apacer	78.01GC6.420	DDR3 1333	1024MB	SS	ELPIDA	J1108BABG-DJ-E	(1333-9-9-9-24)		•	•	•	•
Apacer	78.01GC6.9L0	DDR3 1333	1024MB	SS	Apacer	AM5D5808AEWSBG	9(1333-9-9-9-24)		•	•	•	•
Apacer	78.01GC8.422	DDR3 1333	1024MB	SS	ELPIDA	J1108BABG-DJ-E(ECC)	(1333-9-9-9-24)		•	•	•	•
Apacer	78.A1GC8.421	DDR3 1333	2048MB	DS	ELPIDA	J1108BABG-DJ-E	(1333-9-9-9-24)		•	•	•	•
Apacer	78.A1GC6.9L1	DDR3 1333	2048MB	DS	Apacer	AM5D5808AEWSBG	9(1333-9-9-9-24)		•	•	•	•
Apacer	78.A1GC8.423	DDR3 1333	2048MB	DS	ELPIDA	J1108BABG-DJ-E(ECC)	(1333-9-9-9-24)		•	•	•	•
CORSAIR	TR3X3G1333C9 (Ver2.1)	DDR3 1333	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9-24(1333-9-9-9-24)	1.5	•	•	•	•
CORSAIR	CM3X1024-1333C9DHX	DDR3 1333	1024MB	DS	N/A	Heat-Sink Package	(1333-9-9-9-24)	1.1	•	•	•	•
CORSAIR	Box/P/N:TWIN3X2048-1333C9 (CM3X1024-1333C9) Ver1.1	DDR3 1333	2048MB(Kit of 2)	DS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	1.70	•	•	•	•
CORSAIR	Box/P/N:TW3X4G1333C9DHX (CM3X2048-1333C9DHX) Ver3.2	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	1.70	•	•	•	•
CORSAIR	TR3X6G1333C9 (Ver2.1)	DDR3 1333	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1333-9-9-9-24)	1.5	•	•	•	•
Crucial	CT12864BA1339.8SFD	DDR3 1333	1024MB	SS	MICRON	MT8JF12864AY-1G4D1	(1333-9-9-9-24)		•	•	•	•
Crucial	CT25664BA1339.16SFD	DDR3 1333	2048MB	DS	MICRON	D9JNM	(1333-9-9-9-24)		•	•	•	•
CRUCIAL	BL25664BA1336.16SFB1	DDR3 1333	4096MB(Kit of 2)	DS	NA	Heat-Sink Package	6-6-6-20(1333-9-9-9-24)	1.8	•	•	•	•
ELPIDA	EBJ10UE8BAW0-DJ-E	DDR3 1333	1024MB	SS	ELPIDA	J1108BABG-DJ-E	9(1333-9-9-9-24)		•	•	•	•
ELPIDA	EBJ21UE8BAW0-DJ-E	DDR3 1333	2048MB	DS	ELPIDA	J1108BABG-DJ-E	9(1333-9-9-9-24)		•	•	•	•
G.SKILL	F3-10600CL7D-2GBPI	DDR3 1333	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	(1337-7-7-7-18)	1.65	•	•	•	•
G.SKILL	F3-10600CL8D-2GBHK	DDR3 1333	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	(1337-8-8-8-22)	1.65	•	•	•	•
G.Skill	F3-10666CL7T-6GBPK(XMP)	DDR3 1333	2048MB	DS	N/A	Heat-Sink Package	7-7-7-18(1333-7-7-7-18)	1.5-1.6	•	•	•	•
G.Skill	F3-10666CL8D-4GBHK(XMP)	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	8-8-8-21(1333-7-7-7-20)	1.5-1.6	•	•	•	•
G.SKILL	F3-10666CL9T-6GBNQ	DDR3 1333	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1333-9-9-9-24)	1.5	•	•	•	•
GEIL	GV34GB1333C7DC	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-7-24(1333-8-8-8-28)	1.5	•	•	•	•
Hynix	HMT112U6BFR8C-H9	DDR3 1333	1024MB	SS	Hynix	H5TQ1G83BFR	9(1333-9-9-9-24)		•	•	•	•
Hynix	HMT125U6BFR8C-H9	DDR3 1333	2048MB	DS	Hynix	H5TQ1G83BFR	9(1333-9-9-9-24)		•	•	•	•
Hynix	HMT125U6BFR8C-H9	DDR3 1333	2048MB	DS	Hynix	H5TQ1G83BFRH9C	9(1333-9-9-9-24)		•	•	•	•
KINGMAX	FLFD45F-B8EE9	DDR3 1333	1024MB	SS	ELPIDA	J1108BABG-DJ-E	(1333-9-9-9-24)		•	•	•	•
KINGSTON	KVR1333D3N9/1G	DDR3 1333	1024MB	SS	ELPIDA	J1108BABG-DJ-E	1333-9-9-9-24	1.5	•	•	•	•
KINGSTON	KVR1333D3N9/2G	DDR3 1333	2048MB	DS	ELPIDA	J1108BABG-DJ-E	1333-9-9-9-24	1.5	•	•	•	•
MICRON	MT8JTF12864AY-1G4BYES	DDR3 1333	1024MB	SS	MICRON	Z9HWR	(1333-9-9-9-24)		•	•	•	•
MICRON	MT16JTF25664AY-1G4BYES	DDR3 1333	2048MB	DS	MICRON	Z9HWR	(1333-9-9-9-24)		•	•	•	•
OCZ	OC23RPX1333EBZGK	DDR3 1333	1024MB	SS	N/A	Heat-Sink Package	(1066-6-5-5-20)		•	•	•	•
OCZ	OC23G1333LV3GK	DDR3 1333	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9(1066-7-7-7-20)	1.65	•	•	•	•
OCZ	OC23P1333LV3GK	DDR3 1333	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	7-7-7(1066-7-7-7-16)	1.65	•	•	•	•
OCZ	OC23P1332GK	DDR3 1333	1024MB	DS	N/A	Heat-Sink Package	7-7-7-20(1333-9-9-9-24)		•	•	•	•
OCZ	OC23G13334GK	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	9(1066-8-8-9-20)	1.7	•	•	•	•
OCZ	OC23P13334GK	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7(1333-7-7-7-20)	1.8	•	•	•	•
OCZ	OC23RPX1333EB4GK	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	(1066-6-5-5)	1.85	•	•	•	•
OCZ	OC23G1333LV6GK	DDR3 1333	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9(1066-7-7-7-20)	1.65	•	•	•	•
OCZ	OC23P1333LV6GK	DDR3 1333	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	7-7-7(1066-7-7-7-20)	1.65	•	•	•	•
SAMSUNG	M378B2873DZ1-CH9	DDR3 1333	1024MB	SS	SAMSUNG	K4B1G0846D	9(1333-9-9-9-24)		•	•	•	•
SAMSUNG	M391B2873DZ1-CH9	DDR3 1333	1024MB	SS	SAMSUNG	K4B1G0846D(ECC)	9(1333-9-9-9-24)		•	•	•	•
SAMSUNG	M378B5673DZ1-CH9	DDR3 1333	2048MB	DS	SAMSUNG	K4B1G0846D	9(1333-9-9-9-24)		•	•	•	•
SAMSUNG	M391B5673DZ1-CH9	DDR3 1333	2048MB	DS	SAMSUNG	K4B1G0846D(ECC)	9(1333-9-9-9-24)		•	•	•	•
SAMSUNG	M378B5273BH1-CH9	DDR3 1333	4096MB	DS	SAMSUNG	K4B2G0846B-HCH9	9(1333-9-9-9-24)		•	•	•	•
Super Talent	W1333UX2GB(XMP)	DDR3 1333	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8(1333-8-8-8-24)	1.8	•	•	•	•
Transcend	TS128MLK64V3U	DDR3 1333	1024MB	SS	SAMSUNG	K4B1G0846D	9(1333-9-9-9-24)		•	•	•	•
Transcend	TS256MLK64V3U	DDR3 1333	2048MB	DS	SAMSUNG	K4B1G0846D	9(1333-9-9-9-24)		•	•	•	•
Asint	SLY3128MB-EDJ	DDR3 1333	1024MB	SS	Asint	DDRIII1208-DJ	(9-9-9-24)		•	•	•	•
Asint	SLZ3128MB-EDJ	DDR3 1333	2048MB	DS	Asint	DDRIII1208-DJ	(9-9-9-24)		•	•	•	•
ASUS	N/A	DDR3 1333	1024MB	DS	N/A	Heat-Sink Package	(1333-9-9-9-24)		•	•	•	•
BUFFALO	FSX1333D3G-1G	DDR3 1333	1024MB	SS	N/A	Heat-Sink Package	(1066-7-7-7-20)		•	•	•	•
BUFFALO	FSX1333D3G-2G	DDR3 1333	2048MB	DS	N/A	Heat-Sink Package	(1066-7-7-7-20)		•	•	•	•
Ellixir	M2F2G64C88HAN-CG	DDR3 1333	2048MB	DS	Ellixir	N2CB1G80AN-CG	(1333-9-9-9-24)		•	•	•	•
Patriot	PDC32G1333LLK	DDR3 1333	1024MB	SS	PATRIOT		7(1337-7-7-7-20)	1.7	•	•	•	•
Patriot	PVT33G1333ELK	DDR3 1333	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	1.65	•	•	•	•
Patriot	PVS34G1333ELK	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	1.5	•	•	•	•
Patriot	PVS34G1333LLK	DDR3 1333	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-7-20(1066-7-7-7-20)	1.7	•	•	•	•
Patriot	PVT36G1333ELK	DDR3 1333	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	1.65	•	•	•	•
Silicon Power	SP001GBTU133S02	DDR3 1333	1024MB	SS	S-POWER	I0YT3E0	9(1333-9-9-9-24)		•	•	•	•
Silicon Power	SP002GBLTU133S02	DDR3 1333	2048MB	DS	S-POWER	I0YT3E0	9(1333-9-9-9-24)		•	•	•	•

P6T7 WS SUPERCOMPUTER Memory Qualified Vendors List (QVL) BIOS 0206

P6T7 WS SUPERCOMPUTER DDR3 1600 Qualified Vendors List (QVL)

Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Dimm(Bios)	Voltage	DIMM socket support (Optional)			
									A*	B*	C*	D*
A-DATA	AD31600E001GMU	DDR3 1600	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	8-8-8-24(1333-9-9-9-24)	1.65-1.85	•	•	•	
A-DATA	AD31600F002GMU(XMP)	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	7-7-7-20(1333-9-9-9-24)	1.75-1.85	•	•	•	•
CORSAIR	TR3X3G1600C8D(XMP)Ver2.1	DDR3 1600	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	8-8-8-24(1601-8-8-8-24)	1.65	•	•		
CORSAIR	TR3X3G1600C8D	DDR3 1600	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	8-8-8-24(1600-8-8-8-24)	1.65	•	•		
CORSAIR	TR3X3G1600C9(XMP)Ver1.1	DDR3 1600	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9-24(1601-9-9-9-24)	1.65	•	•		
CORSAIR	BoxP/N:TW3X4G1600C9DHXNV(CM3X2G1600C9DHXNV)Ver4.1	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	(1333-9-9-9-24)	1.80	•	•	•	•
CORSAIR	TR3X6G1600C8D(XMP)Ver2.1	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	8-8-8-24(1601-8-8-8-24)	1.65	•	•	•	
CORSAIR	TR3X6G1600C8D	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	8-8-8-24(1600-8-8-8-24)	1.65	•	•	•	•
CORSAIR	TR3X6G1600C9(XMP)Ver2.1	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1333-9-9-9-24)	1.65	•	•	•	•
Crucial	BL12864BA1608.8SFB(XMP)	DDR3 1600	1024MB	SS	N/A	Heat-Sink Package	(1601-8-8-8-24)	1.8	•	•	•	
G.SKILL	F3-12800CL7D-2GBHZ	DDR3 1600	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	(1601-7-7-7-18)	1.9	•	•	•	•
G.SKILL	F3-12800CL9D-2GBNQ	DDR3 1600	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	(1333-9-9-9-24)	1.6	•	•		
G.SKILL	F3-12800CL7D-4GBPI	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-7-18(1333-9-9-9-24)	1.9	•	•	•	•
G.Skill	F3-12800CL8T-6GBHK(XMP)	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	8-8-8-21(1333-8-8-8-21)	1.6-1.65	•	•		•
G.SKILL	F3-12800CL9T-6GBNQ	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1601-9-9-9-24)	1.5-1.6	•	•	•	
GEIL	GV34GB1600C8DC	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	8-8-8-28(1600-8-8-8-28)	1.6	•	•	•	•
KINGMAX	FLGD45F-B8KG9-NAES	DDR3 1600	1024MB	SS	KINGMAX	KFB8FNGXF-ANX-12A	9(1600-9-8-9-28)	1.5	•	•	•	
KINGMAX	FLGE85F-B8KG9-NEES	DDR3 1600	2048MB	DS	KINGMAX	KFB8FNGXF-ANX-12A	9(1600-9-8-9-28)	1.5	•	•	•	•
KINGSTON	KHX12800D3LLK3/3GX(XMP)	DDR3 1600	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	1600-8-8-8-20	1.65	•	•	•	
OCZ	OCZ3P1600LV3GK	DDR3 1600	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	8-8-8(1066-7-7-7-20)	1.65	•	•	•	•
OCZ	OCZ3P1600LV3GK	DDR3 1600	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	7-7-7(1066-7-7-7-20)	1.65	•	•	•	
OCZ	OCZ3P16004GK	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-7(1333-7-7-7-20)	1.9	•	•	•	
OCZ	OCZ3P1600EB4GK	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-6(1333-7-7-7-20)	1.8	•	•	•	
OCZ	OCZ3G1600LV6GK	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	8-8-8(1066-7-7-7-20)	1.65	•	•		
OCZ	OCZ3X1600LV6GK(XMP)	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	8-8-8(1600-8-8-8-24)	1.65	•	•	•	•
Mushkin	996657	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-7-20		•	•	•	•
Mushkin	998659	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1333-9-9-9-24)	1.5-1.6	•	•	•	
Patriot	PVS34G1600ELK	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	1.8		•	•	
Patriot	PVS34G1600LLK	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-7-20(1066-7-7-7-20)	1.9	•	•	•	
Patriot	PVS34G1600LLKN	DDR3 1600	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	7-7-7-20(1066-7-7-7-20)	2.0		•	•	
Patriot	PVT36G1600ELK	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	1.65	•	•	•	•
Patriot	PVT36G1600ELK	DDR3 1600	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1600-7-7-7-20)	1.65		•	•	•
PQI	MFADR401PA0102(XMP)	DDR3 1600	2048MB	DS	SAMSUNG	K4B1G08460	1066-8-8-8-20		•	•	•	•

P6T7 WS SUPERCOMPUTER Memory Qualified Vendors List (QVL) BIOS 0210

P6T7 WS SUPERCOMPUTER DDR3 1800 Qualified Vendors List (QVL)

Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Dimm(Bios)	Voltage	DIMM socket support (Optional)			
									A*	B*	C*	D*
Apacer	78.0AGCD-CDZ(XMP)	DDR3 1800	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8-8-8-24(1800-8-8-8-24)	1.8		•		
Apacer	BoxP/N:DH.02GAL.F7LK2(78.0AGCB.BN0)	DDR3 1800	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	7-7-7-20		•			
CORSAIR	BoxP/N:TW3X4G1800C8DF(CM3X2G1800C8D)Ver4.1	DDR3 1800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	8-8-8-24	1.80	•			
KINGSTON	KHX14400D3/1G	DDR3 1800	1024MB	SS	N/A	Heat-Sink Package		1.9	•			
KINGSTON	KHX14400D3K2/2GN(EPP)	DDR3 1800	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package		1.9	•	•		
KINGSTON	KHX14400D3K3/3GX(XMP)	DDR3 1800	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	1800-9-9-9-27	1.65				
OCZ	OCZ3P18002GK	DDR3 1800	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8		•	•		•
OCZ	OCZ3P18004GK	DDR3 1800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	8	1.9	•	•	•	•
Patriot	PVS32G1800LLKN(EPP)	DDR3 1800	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8-8-8-20(1066-7-7-7-20)	1.9	•	•	•	

P6T7 WS SUPERCOMPUTER Memory Qualified Vendors List (QVL) BIOS 0210

P6T7 WS SUPERCOMPUTER DDR3 1866 Qualified Vendors List (QVL)

Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Dimm(Bios)	Voltage	DIMM socket support (Optional)			
									A*	B*	C*	D*
CORSAIR	TR3X3G1866C9D(XMP)	DDR3 1866	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9-24(1866-9-9-9-24)	1.65	•	•		
CORSAIR	TR3X6G1866C9D	DDR3 1866	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1866-9-9-9-24)	1.65	•	•		
KINGSTON	KHX14900D3K3/3GX(XMP)	DDR3 1866	3072MB	SS	N/A	Heat-Sink Package	9(1333-9-9-9-24)	1.65	•	•		
OCZ	OCZ3PRP1866C9LV3GK	DDR3 1866	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9(1066-7-7-7-20)	1.65		•		
Super Talent	W1866UX2GB(XMP)	DDR3 1866	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8-8-8-24(1333-9-9-9-24)		•	•	•	
Patriot	PVS32G1866LLK(XMP)	DDR3 1866	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8-8-8-24(1066-7-7-7-20)	1.9	•	•		
Patriot	PVS32G1866LLK(XMP)	DDR3 1866	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8-8-8-24(1866-8-8-8-24)	1.9	•	•		

P6T7 WS SUPERCOMPUTER Memory Qualified Vendors List (QVL) BIOS 0402

P6T7 WS SUPERCOMPUTER DDR3 2000 Qualified Vendors List (QVL)

Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Dimm(Bios)	Voltage	DIMM socket support (Optional)			
									A*	B*	C*	D*
Apacer	78.0AGCQ.CBZ(XMP)	DDR3 2000	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9-27(1066-8-8-8-20)		•			
Crucial	BL12864BE2009.8SFB3(EPP)	DDR3 2000	1024MB	SS	N/A	Heat-Sink Package	9-9-9-28(1333-9-9-9-24)	2	•	•	•	
G.SKILL	F3-16000CL9T-3GBDI-B(XMP)	DDR3 2000	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9-9-9-24(2000-9-9-9-24)	1.65	•	•	•	
G.SKILL	F3-16000CL7T-6GBPS(XMP)	DDR3 2000	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	7-8-7-20(1066-8-8-8-20)	1.65	•	•		
G.SKILL	F3-16000CL9T-6GBPS(XMP)	DDR3 2000	6144MB(Kit of 3)	DS	N/A	Heat-Sink Package	9-9-9-24(1066-8-8-8-20)	1.65	•	•		
KINGSTON	KHX16000D3K2/2GN(EPP)	DDR3 2000	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package		2.0	•	•	•	•
KINGSTON	KHX16000D3K3/3GX(XMP)	DDR3 2000	3072MB(Kit of 3)	SS	N/A	Heat-Sink Package	9(1333-9-9-9-24)	1.65	•	•	•	•
OCZ	OCZ3FXT20002GK	DDR3 2000	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	8	1.9	•			
OCZ	OCZ3P20002GK(EPP)	DDR3 2000	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	9	1.9	•			
OCZ	OCZ3P2000EB2GK	DDR3 2000	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	9-8-8(1066-8-7-7-20)	1.8	•	•	•	•
Gingie	9CAASS37AZZ01D1	DDR3 2000	2048MB	DS	N/A	Heat-Sink Package	9-9-9-24		•	•	•	•
Patriot	PVS32G2000LLKN	DDR3 2000	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	9-9-9-24(1066-7-7-7-20)	2	•	•		

• **A***: Supports **two (2) modules** inserted into slot A1 and B1 as one pair of Dual-channel memory configuration

• **B***: Supports **three (3) modules** inserted into the orange slots (A1, B1 and C1) as one set of Triple-channel memory configuration

• **C***: Supports **four (4) modules** inserted into the orange slots (A1, B1 and C1) and the black slot A2 as one set of Triple-channel memory configuration

• **D***: Supports **six (6) modules** inserted into both the orange slots and the black slots as two set of Triple-channel memory configuration.

-When installing total memory of 4GB capacity or more, Windows 32-bit operation system may only recognize less than 3GB. Hence, a total installed memory of less than 3GB is recommended.

-It is recommended to install the memory modules from the slots for better overclocking capability.

-The default DIMM frequency depends on its Serial Presence Detect (SPD), which is the standard way of accessing information from a memory module. Under the default state, some memory modules for overclocking may operate at a lower frequency than the vendor's specification.