



## Update Android Firmware for ASUS Transformer AiO P1801

1. Check the Android version of your ASUS Transformer AiO P1801 by going to:  
[Settings] -> [About tablet] -> Build number  
Example: You should be able to see the build number WW\_XXXXXXXXXX, where “WW” means SKU.
2. Download the update file for ASUS Transformer AiO P1801 from the ASUS website under the manual section. The file name should be:  
**P1801-XX\_epad-user-1G-mdpi-tvdpi-hdpi-10.4.5.45-20130326-1646-UpdateLauncher**  
where XX refers to the SKU of your ASUS Transformer AiO P1801.
3. Unzip the file and there will be an “XX\_epad-user-10.4.5.45.zip” file in the unzipped folder. Put this “XX\_epad-user-10.4.5.45.zip” file to the root directory of your SD card.
4. With the Tablet turned on, insert the SD card with “XX\_epad-user-10.4.5.45.zip” file folder into the Tablet.
5. An exclamation mark will appear at the bottom of home screen next to the system clock. Tap the exclamation mark.



6. A pop-up message “System Update File Detected” would appear. Tap the “System Update File Detected” message.



Wednesday  
February 29, 2012

10:09AM

No Internet connection

42%



**System Update File Detected**

Touch to start the system update.



**External storage inserted**

MicroSD




SuperNote




Mus


7. A pop-up message “System Update Available” would appear. Tap OK.




8. A pop-up message “Select Update Package” would appear. Select the update file by tapping the circle on the right. Tap OK.



9. A pop-up message “System Update Available” would appear. Since the system update will take approximately 10 minutes, make sure the Tablet power adapter is connected before proceeding to system update. Tap OK.



10. A pop-up message would appear indicating Tablet is shutting down.



11. After the Android system restarted, a message would appear indicating that the Tablet has been successfully updated.