

Z170-P

DDR4 3200+ Qualified Vendors List (QVL)

Vendors	Part No.	Size	SS/DS	Chip Brand	Chip NO.	Timing	Voltage	DIMM socket support (Optional)		
								1 DIMM	2 DIMM	4 DIMM
PANRAM	PUD43200C164G4NJW	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-18-18-39	1.35V	•		
MUSHKIN	997202F	8GB(4GB*2)	SS	N/A	Heat-Sink Package	16-16-16-36-50	1.35V	•	•	
G.SKILL	F4-3300C16Q-16GRKD	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-16-16-36	1.35V	•		
G.SKILL	F4-3333C16Q-16GRKD	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-16-16-36	1.35V	•	•	
GEIL	GLWR416GB3400C16AQC	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-18-18-36	1.35V	•		
G.SKILL	F4-3400C16Q-16GRBD	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-18-18-38	1.35V	•		
G.SKILL	F4-3466C16Q-16GVK	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-18-18-38	1.35V	•		
G.SKILL	F4-3200C16Q-16GRR	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-16-16-36	1.35V	•	•	•
G.SKILL	F4-3200C16Q-16GRB	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-16-16-36	1.35V	•	•	•
G.SKILL	F4-3200C16Q-16GRK	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-16-16-36	1.35V	•	•	•
AVEXIR	AVD4U32001604G-4BZ1	16GB(4GB*4)	SS	SK hynix	H5AN4G8NMFR	16-18-18-36	1.35V	•	•	
AVEXIR	AVD4U32001604G-4CIR	16GB(4GB*4)	SS			16-18-18-36	1.35V	•	•	
CORSAIR	CMD16GX4M4A3200C16	16GB(4GB*4)	SS			16-18-18-36	1.35V	•	•	
GEIL	GPR416GB3200C15QC	16GB(4GB*4)	SS			15-15-15-35	1.35V	•	•	
Kingston	HX432C16PB2K4/16	16GB(4GB*4)	SS			16-16-16-39	1.35V	•	•	
Panram	PUD43200C164G4NJW	16GB(4GB*4)	SS			16-18-18-39	1.35V	•	•	
G.SKILL	F4-3300C16Q-16GRK	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-16-16-36	1.35V	•	•	•
G.SKILL	F4-3300C16D-8GTZ	8GB(4GB*2)	SS	Samsung	K4A4G085WD	16-18-18-38	1.35V	•	•	
CORSAIR	CMD16GX4M4B3300C16	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-18-18-36	1.35V	•	•	
G.SKILL	F4-3333C16D-8GTZ	8GB(4GB*2)	SS	Samsung	K4A4G085WD	16-18-18-38	1.35V	•	•	
G.SKILL	F4-3333C16Q-16GRKD	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-16-16-36	1.35V	•	•	
CORSAIR	CMD16GX4M4B3333C16 ver4.23	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-18-18-36	1.35V	•	•	
A-DATA	AX4U3333W4G16	16GB(4GB*4)	SS	SK hynix	H5AN4G8NMFR	16-16-16-36	1.35V	•	•	
CORSAIR	CMD16GX4M4B3400C16 ver. 4.23	16GB(4GB*4)	SS	Samsung	K4A4G085WD	16-18-18-38	1.35V	•	•	
G.SKILL	F4-3466C16D-8GRK	8GB(4GB*2)	SS	Samsung	K4A4G085WD	16-18-18-38	1.35V	•	•	
G.SKILL	F4-3466C16D-8GTZ	8GB(4GB*2)	SS	Samsung	K4A4G085WD	16-18-18-38	1.35V	•	•	
G.SKILL	F4-3466C16D-8GVK	8GB(4GB*2)	SS	Samsung	K4A4G085WD	16-18-18-38	1.35V	•	•	

DDR4 3000 Qualified Vendors List (QVL)

Vendors	Part No.	Size	SS/DS	Chip Brand	Chip NO.	Timing	Voltage	DIMM socket support (Optional)		
								1 DIMM	2 DIMM	4 DIMM
KINGSTON	HX430C15PB2K4/16	16GB(4GB*4)	SS	N/A	Heat-Sink Package		1.35V	•	•	•
G.SKILL	F4-3000C15Q-16GRR	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-35	1.35V	•	•	•
TEAM	TCD48G3000C16ABK	8G	DS	TEAM	T4D5128HT-30	16-16-16-36	1.35V	•		
TEAM	TCD44G3000C16ABK	4G	SS	TEAM	T4D5128HT-30	16-16-16-36	1.35V	•	•	•
PANRAM	PUD43000C154G4NJW	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-17-17-35	1.35V	•	•	•
KINGSTON	HX430C15PBK4/32	32GB(4GB*8)	DS	N/A	Heat-Sink Package	15-16-16-39-65	1.35V	•	•	•
Asint	SLA404G08-EWWHM(XMP)	4GB	SS	SK Hynix	H5AN4G8NMFRTFC	3000-15-15-15-44	1.35	•	•	•
Asint	SLB404G08-EW1HMX(XMP)	8GB	DS	-	-	16-18-18-44	1.35	•	•	
AVEXIR	AVD4U30001504G-4CIR(XMP)	16GB (4x 4GB)	DS	-	-	15-15-15-35	1.35	•	•	•
AVEXIR	AVD4U30001608G-4CIR(XMP)	32GB (4x 8GB)	DS	-	-	16-18-18-36	1.35	•	•	

CORSAIR	CMD16GX4M4B3000C15(Ver5.29)(XMP)	16GB (4x 4GB)	DS	-	-	15-17-17-35	1.35	•	•	•
CORSAIR	CMD32GX4M4B3000C15(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	3000-15-17-17-35	1.35	•	•	
CORSAIR	CMK16GX4M2B3000C15(Ver4.23)(XMP)	16GB (2x 8GB)	DS	-	-	15-17-17-35	1.35	•	•	
CORSAIR	CMK16GX4M4B3000C15(Ver5.29)(XMP)	16GB (4x 4GB)	SS	-	-	15-17-17-35	1.35	•	•	•
G.SKILL	F4-3000C15Q-16GRK(XMP)	16GB (4x 4GB)	SS	-	-	15-15-15-35	1.35	•	•	•
G.SKILL	F4-3000C15Q-16GRR(XMP)	16GB (4x 4GB)	SS	-	-	15-15-15-35	1.35	•	•	•
G.SKILL	F4-3000C15Q-16GRR(XMP)	16GB (4x 4GB)	SS	-	-	15-15-15-31	1.35	•	•	•
GeIL	GLR416GB3000C16QC(XMP)	16GB (4x 4GB)	SS	-	-	16-16-16-36	1.35	•	•	
GeIL	GWW416GB3000C15DC(XMP)	16GB (2x 8GB)	DS	GeIL	CG4L512G88BA093L	3000-15-17-17-35	1.35	•	•	
Kingston	HX430C15PB2K4/16(XMP)	16GB (4x 4GB)	SS	-	-	15-16-16-39	1.35	•	•	•
KLEVV	IM44GU48A30-GIIHMC(XMP)	4GB	SS	-	-	16-18-18-36	1.35	•	•	
panram	PUD43000C154G4NJW(XMP)	16GB (4x 4GB)	SS	-	-	15-17-17-35	1.35	•	•	•
PATRIOT	PV432G300C6QK-PE000378(XMP)	32GB (8x 4GB)	DS	-	-	16-16-16-36	1.35	•	•	
Team	TCD44G3000C16ABK(XMP)	4GB	SS	Samsung	K4A4G085WD	16-16-16-36	1.35	•	•	•
Team	TCD48G3000C16ABK(XMP)	8GB(4x 8GB)	DS	Team	T4D5128HT-30	16-16-16-36	1.35	•	•	•

DDR4 2800 Qualified Vendors List (QVL)

Vendors	Part No.	Size	SS/DS	Chip Brand	Chip NO.	Timing	Voltage	DIMM socket support (Optional)		
								1 DIMM	2 DIMM	4 DIMM
CORSAIR	CMK16GX4M4A2800C16	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-18-18-36	1.2V	•	•	•
G.SKILL	HX428C14PB2K4/16	16GB(4GB*4)	SS	N/A	Heat-Sink Package		1.35V	•	•	•
G.SKILL	F4-2800C16Q-16GRK	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-16-16-36	1.2V	•	•	
PATRIOT	PX416G280C6QK	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-18-18-36	1.2V	•	•	•
PANRAM	PUD42800C164G4NJW	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-18-18-36	1.25V	•	•	•
MUSHKIN	994207F	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-16-16-36-52	1.2V	•	•	•
KINGSTON	HX428C14PBK4/32	32GB(8GB*4)	DS	N/A	Heat-Sink Package	14-15-15-39-63	1.35V	•	•	•
ADATA	AX4U2800316G16(XMP)	16GB	DS	-	-	16-16-16-36	1.2	•	•	
ADATA	AX4U2800W4G17(XMP)	32GB (8x 4GB)	DS	-	-	17-17-17-36	1.2	•	•	•
ADATA	AX4U2800W8G17(XMP)	8GB	DS	-	-	15-15-15-36	1.2	•	•	
Apacer	78.BAGM8.AF20B(XMP)	4GB	SS	-	-	17-17-17-36	-	•	•	•
Apacer	78.CAGM8.AF30B(XMP)	8GB	DS	-	-	17-17-17-36	-	•	•	
AVEXIR	AVD4U28001504G-4CIR(XMP)	4GB	SS	-	-	15-15-15-35	1.35	•	•	•
AVEXIR	AVD4U28001608G-4CIR(XMP)	32GB (4x 8GB)	DS	-	-	16-16-16-36	1.2	•	•	
CORSAIR	CMD16GX4M4A2800C16(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	16-18-18-36	1.2	•	•	•
CORSAIR	CMD16GX4M4A2800C16(Ver5.29)	16GB (4x 4GB)	SS	-	-	16-18-18-36	1.2	•	•	•
CORSAIR	CMD32GX4M4A2800C16(Ver5.29)(XMP)	32GB (4x 8GB)	DS	-	-	18-18-18-36	1.2	•	•	•
CORSAIR	CMK16GX4M4A2800C16(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	16-16-18-36	1.2	•	•	•
CORSAIR	CMK16GX4M4A2800C16(Ver5.29)	16GB (4x 4GB)	SS	-	-	16-18-18-36	1.2	•	•	•
G.SKILL	F4-2800C15Q2-64GRK(XMP)	64GB (8x 8GB)	DS	-	-	15-16-16-35	1.25	•	•	•
G.SKILL	F4-2800C16Q-16GRR(XMP)	16GB (4x 4GB)	SS	-	-	16-16-16-36	1.2	•	•	•
G.SKILL	F4-2800C16Q-32GRK(XMP)	32GB (4x 8GB)	DS	-	-	16-16-16-36	1.2	•	•	
G.SKILL	F4-2800C16Q-32GRR(XMP)	32GB (4x 8GB)	DS	-	-	16-16-16-36	1.2	•	•	•
GeIL	GPR416GB2800C16QC(XMP)	16GB (4x 4GB)	SS	-	-	16-16-16-36	1.2	•	•	•
GeIL	GPR432GB2800C16QC(XMP)	32GB (4x 8GB)	DS	-	-	16-16-16-36	1.2	•	•	
Kingston	HX428C14PBK4/16(XMP)	16GB (4x 4GB)	SS	-	-	14-15-15-40-2	1.35	•	•	•
KLEVV	IMA451U6MFR8N-DG0(Ver1.05)(XMP)	4GB	SS	-	-	16-16-16-36	1.2	•	•	•

Panram	PUD42800C164G4NJW(XMP)	16GB (4x 4GB)	SS	-	-	16-18-18-36	1.25	•	•
--------	------------------------	-----------------	----	---	---	-------------	------	---	---

DDR4 2666 Qualified Vendors List (QVL)

Vendors	Part No.	Size	SS/DS	Chip Brand	Chip NO.	Timing	Voltage	DIMM socket support (Optional)		
								1 DIMM	2 DIMM	4 DIMM
CORSAIR	CMK16GX4M4A2666C16	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-16-18-35	1.2V	•	•	•
CORSAIR	CMD32GX4M4A2666C15(Ver5.29)	32GB(8GB*4)	DS	N/A	Heat-Sink Package	15-17-17-35	1.2V	•	•	•
CORSAIR	CMD128GX4M8A2666C15	128GB (16GB*8)	DS	N/A	Heat-Sink Package	15-18-18-35	1.2V	•	•	•
G.SKILL	F4-2666C15Q-16GRR	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
G.SKILL	F4-2666C16Q2-64GRB	64GB(8GB*8)	DS	N/A	Heat-Sink Package	16-16-16-36	1.2V	•	•	•
TEAM	TCD48G2666C15ABK	8G	DS	SK HYNIX	H5AN4G8NMFR	15-15-15-35	1.2V	•	•	•
TEAM	TCD44G2666C15ABK	4G	SS	SEC 443 BCPB	K4A4G085WD	15-15-15-35	1.2V	•	•	•
MUSHKIN	997192F	8GB(4GB*2)	SS	N/A	Heat-Sink Package	15-15-15-35-50	1.2V	•	•	•
KINGSTON	HX426C13PBK4/32	32GB(8GB*4)	DS	N/A	Heat-Sink Package	13-14-14-39-60	1.35V	•	•	•
KINGSTON	HX426C15FBK4/32	32GB(8GB*4)	DS	N/A	Heat-Sink Package		1.2V	•	•	•
AVEXIR	AVD4U26661504G-4CIR(XMP)	4GB	SS	-	-	15-15-15-35	1.2	•	•	•
AVEXIR	AVD4U26661608G-4CIR(XMP)	32GB (8x 4GB)	DS	-	-	16-16-16-36	1.2	•	•	•
CORSAIR	CMD128GX4M8A2666C15(Ver4.31)(XMP)	128GB (8x 16GB)	DS	-	-	15-17-17-35	1.2	•	•	
CORSAIR	CMD16GX4M2A2666C15(Ver4.23)(XMP)	16GB (2x 8GB)	DS	-	-	15-17-17-35	1.2	•	•	
CORSAIR	CMD16GX4M4A2666C15(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	15-17-17-35	1.2	•	•	•
CORSAIR	CMD16GX4M4A2666C16(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	16-18-18-35	1.2	•	•	•
CORSAIR	CMD16GX4M4A2666C16(Ver5.29)(XMP)	16GB (4x 4GB)	SS	-	-	16-18-18-35	1.2	•	•	•
CORSAIR	CMD32GX4M4A2666C15(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	15-17-17-35	1.2	•	•	
CORSAIR	CMD32GX4M4A2666C15(Ver5.29)	32GB (4x 8GB)	DS	-	-	15-17-17-35	1.2	•	•	•
CORSAIR	CMD32GX4M4A2666C16(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	16-18-18-35	1.2	•	•	•
CORSAIR	CMD64GX4M8A2666C15(Ver4.23)(XMP)	64GB (8x 8GB)	DS	-	-	15-17-17-35	1.2	•	•	•
CORSAIR	CMD8GX4M2A2666C15(Ver4.23)(XMP)	8GB (2x 4GB)	DS	-	-	15-17-17-35	1.2	•	•	
CORSAIR	CMK16GX4M2A2666C16(Ver5.29)(XMP)	16GB (2x 8GB)	DS	-	-	16-18-18-35	1.2	•	•	
CORSAIR	CMK16GX4M4A2666C15(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	15-17-17-35	1.2	•	•	•
CORSAIR	CMK16GX4M4A2666C15(Ver5.29)	16GB (4x 4GB)	SS	-	-	15-17-17-35	1.2	•	•	•
CORSAIR	CMK16GX4M4A2666C16(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	16-18-18-35	1.2	•	•	•
CORSAIR	CMK16GX4M4A2666C16(Ver5.29)(XMP)	16GB (4x 4GB)	SS	-	-	16-18-18-35	1.2	•	•	•
CORSAIR	CMK32GX4M2A2666C16(Ver4.31)(XMP)	32GB (2x 16GB)	DS	-	-	16-18-18-35	1.2	•	•	
CORSAIR	CMK32GX4M4A2666C15(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	15-17-17-35	1.2	•	•	
CORSAIR	CMK32GX4M4A2666C15(Ver5.29)(XMP)	32GB (4x 8GB)	DS	-	-	15-17-17-35	1.2	•	•	•
CORSAIR	CMK32GX4M4A2666C16(Ver5.29)(XMP)	32GB (4x 8GB)	DS	-	-	16-16-18-35	1.2	•	•	•
CORSAIR	CMK32GX4M4A2666C16R(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	16-18-18-35	1.2	•	•	•
Crucial	BLE4G4D26AFEA.8FAD (XMP)	8GB	SS	-	-	16-17-17-36	1.2	•	•	•
Crucial	BLE8G4D26AFEA.16FAD(XMP)	16GB	DS	-	-	16-17-17-36	1.2	•	•	
Crucial	BLT4G4D26AFTA.8FADG(XMP)	4GB	SS	-	-	16-17-17-36	1.2	•	•	•
Crucial	BLT8G4D26AFTA.16FAD(XMP)	8GB	DS	-	-	16-17-17-36	1.2	•	•	•
G.SKILL	F4-2666C15Q-16GRR(XMP)	16GB (4x 4GB)	SS	-	-	15-15-15-35	1.2	•	•	•
G.SKILL	F4-2666C15Q-32GRR(XMP)	32GB (4x 8GB)	DS	-	-	15-15-15-35	1.2	•	•	
G.SKILL	F4-2666C16Q2-64GRB(XMP)	64GB (8x 8GB)	DS	-	-	16-16-16-36	1.2	•	•	•
Kingston	HX426C15FBK2/16(XMP)	16GB (2x 8GB)	DS	-	-	15-15-17-35	1.2	•	•	
Kingston	HX426C15FBK4/16(XMP)	16GB (4x 4GB)	SS	-	-	15-17-17-35	1.2	•	•	•

Kingston	HX426C15FBK4/32(XMP)	32GB (4x 8GB)	DS	-	-	2666-15-15-17-35	1.2	•	•	•
KLEVV	KM4C4GX4N-2666-15-15-15-35-0 (XMP)	4GB	SS	-	-	15-15-15-35	1.2	•	•	•
KLEVV	KM4C4GX4N-2666-15-15-15-35-1 (XMP)	4GB	SS	-	-	15-15-15-35	1.2	•	•	•
KLEVV	KM4C8GX4N-2666-15-15-15-35-0 (XMP)	8GB	DS	-	-	15-15-15-35	1.2	•	•	•
KLEVV	KM4C8GX4N-2666-15-15-15-35-1(XMP)	8GB	DS	-	-	15-15-15-35	1.2	•	•	•
Team	TCD44G2666C15ABK(XMP)	4GB	SS	Samsung	K4A4G085WD	15-15-15-35	1.2	•	•	•
Team	TCD48G2666C15ABK(XMP)	32GB(4x 8GB)	DS	Team	TCD48G2666C15ABK	15-15-15-35	1.2	•	•	•

DDR4 2400 Qualified Vendors List (QVL)

Vendors	Part No.	Size	SS/DS	Chip Brand	Chip NO.	Timing	Voltage	DIMM socket support (Optional)		
								1 DIMM	2 DIMM	4 DIMM
ADATA	AX4U2400W8G16-DRZ	32GB(8GB*4)	DS	N/A	Heat-Sink Package	16-16-16	1.2V	•	•	•
G.SKILL	F4-2400C15Q-32GRB	32GB(8GB*4)	DS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
PATRIOT	PX416G240C5QK	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	
GLOWAY	PC4-19200	4G	SS	GLOWAY	512X8DDR4	16-16-16-35	1.2V	•		
TEAM	TED44GM2400C16BK	4G	SS	SEC 437 BCPB	K4A4G085WD	16-16-16-39	1.2V	•	•	•
TEAM	TED48GM2400C16BK	8G	DS	SEC 443 BCPB	K4A4G085WD	V	1.2V	•	•	•
PANRAM	PUD42400C154G4NJW	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
PANRAM	PUD42400C158G4NJW	8G	DS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
CORSAIR	CMK32GX4M4A2400C14	32GB(8GB*4)	DS	N/A	Heat-Sink Package	14-16-16-31	1.2V	•	•	•
CRUCIAL	BLS4K4G4D240FSA	16GB(4GB*4)	SS	N/A	Heat-Sink Package	16-16-16-39	1.2V	•	•	•
ADATA	AX4U2400W4G16-DRZ	8GB(4GB*2)	SS	N/A	Heat-Sink Package	16-16-16	1.2V	•	•	•
GEIL	GPR416GB2400C15QC	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
MUSHKIN	997199F	8GB(4GB*2)	DS	N/A	Heat-Sink Package	15-15-15-35-50	1.2V	•	•	•
KINGSTON	HX424C15FBK4/32	32GB(8GB*4)	DS	N/A	Heat-Sink Package	15-15-15-35-57	1.2V	•	•	•
KINGSTON	HX424C15FBK4/16	16GB(4GB*4)	SS	N/A	Heat-Sink Package		1.2V	•	•	•
APACER	78.C1GMA.AF30B	8G	DS	SK HYNIX	H5AN4G8NMFR	16-16-16-36	1.2V	•	•	•
APACER	78.B1GMA.AF20B	4G	SS	SK HYNIX	H5AN4G8NMFR	16-16-16-36	1.2V	•	•	•
G.SKILL	F4-2400C14Q2-128GRK	128GB(16GB*8)	DS	N/A	Heat-Sink Package	14-14-14-34	1.2V	•	•	•
G.SKILL	F4-2400C14Q-16GRK	16GB(4GB*4)	SS	N/A	Heat-Sink Package	14-14-14-34	1.2V	•	•	•
G.SKILL	F4-2400C15Q-16GRR	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
ADATA	AX4U2400W4G16-QRZ(XMP)	32GB (4x 8GB)	SS	-	-	16-16-16-39	1.2	•	•	•
ADATA	AX4U2400W8G16-QRZ(XMP)	32GB (4x 8GB)	DS	-	-	16-16-16-39	1.2	•	•	•
Apacer	78.B1GMS.4050B	4GB	SS	Samsung	K4A4G085WD	17-17-17-39	-	•	•	•
Apacer	78.C1GMS.4010B	8GB	DS	Samsung	K4A4G085WD	17-17-17-39	-	•	•	•
CORSAIR	CMD16GX4M4A2400C14(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	14-16-16-31	1.2	•	•	•
CORSAIR	CMD32GX4M4A2400C14(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	14-16-16-31	1.2	•	•	•
CORSAIR	CMK16GX4M4A2400C14(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	14-16-16-31	1.2	•	•	•
CORSAIR	CMK32GX4M4A2400C14(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	14-16-16-31	1.2	•	•	•
Crucial	BLS4G4D240FSA.8FAD	4GB	SS	-	-	16-16-16-40	1.2	•	•	•
crucial	BLS4G4D240FSA.8FAR(XMP)	4GB	SS	-	-	16-16-16-40	1.2	•	•	•
Crucial	BLS8G4D240FSA.16FAD	8GB	DS	-	-	16-16-16-40	1.2	•	•	•
crucial	BLS8G4D240FSA.16FAR(XMP)	8GB	DS	-	-	16-16-16-40	1.2	•	•	•
G.SKILL	F4-2400C15Q-16GRR	16GB (4x 4GB)	SS	-	-	15-15-15-35	1.2	•	•	•
G.SKILL	F4-2400C15Q2-128GRK(XMP)	128GB (8x 16GB)	DS	-	-	15-15-15-35	1.2	•	•	•
G.SKILL	F4-2400C15Q-32GRR	32GB (4x 8GB)	DS	-	-	15-15-15-35	1.2	•	•	•

GelL	GLR464GB2400C14QC(XMP)	16GB (4x 4GB)	DS	-	-	14-14-14-35	1.2	•	•	•
GelL	GPR416GB2400C15QC(XMP)	16GB (4x 4GB)	SS	-	-	15-15-15-35	1.2	•	•	•
GelL	GPR432GB2400C15QC(XMP)	32GB (4x 8GB)	DS	-	-	15-15-15-35	1.2	•	•	•
Kingston	HX424C12PB2K4/16	16GB (4x 4GB)	SS	-	-	12-13-13-35	1.2	•	•	•
Panram	PUD42400C154G4NJW	16GB (4x 4GB)	SS	-	-	15-15-15-35	1.2	•	•	•
Panram	PUD42400C158G4NJW	32GB (4x 8GB)	DS	-	-	15-15-15-35	1.2	•	•	•
Team	TED44GM2400C16BK	4GB	SS	Samsung	K4A4G085WD	16-16-16-39	1.2	•	•	•
V-color	TD4G8C17-UH	4GB	SS	V-color	DW3J0460HM	15-15-15-36	1.2	•	•	•
V-color	TD8G16C17-UH	8GB	DS	V-color	A4G8H-24CS	17-17-17-39	1.2	•	•	•

DDR4 2133 Qualified Vendors List (QVL)

Vendors	Part No.	Size	SS/DS	Chip Brand	Chip NO.	Timing	Voltage	DIMM socket support (Optional)		
								1 DIMM	2 DIMM	4 DIMM
SAMSUNG	M378A5143DB0--CPB	4G(4GB*1)	SS	SEC 428 BCPB	K4A4G085WD	13-13-13-33	1.5V	•	•	•
SAMSUNG	M378A1G43DB0--CPB	8G(8GB*1)	DS	SEC 428 BCPB	K4A4G085WD	13-13-13-33	1.5V	•	•	•
G.SKILL	F4-2133C15Q-32GRK	32GB(8GB*4)	DS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
GLOWAY	PC4-17000	4G	SS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
KINGSTON	HX421C13PBK4/16	16GB(4GB*4)	SS	N/A	Heat-Sink Package		1.2V	•	•	•
KINGSTON	HX421C14FB/8	8G(8GB*1)	DS	N/A	Heat-Sink Package	14-14-14-35	1.2V	•	•	•
KINGSTON	HX421C14FBK4/32	32GB(8GB*4)	DS	N/A	Heat-Sink Package		1.2V	•	•	•
PANRAM	PUD42133C138G4NJW	32GB(8GB*4)	DS	N/A	Heat-Sink Package	13-13-13-35	1.2V	•	•	•
PANRAM	PUD42133C134G4NJW	16GB(4GB*4)	SS	N/A	Heat-Sink Package	13-13-13-35	1.2V	•	•	•
CORSAIR	CMK16GX4M4A2133C15	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-36	1.2V	•	•	•
CORSAIR	CMV4GX4M1A2133C15	4G(4GB*1)	SS	N/A	4GA72Z9RGR	13-13-34-33	1.5V	•	•	•
CORSAIR	CMV8GX4M1A2133C15	8G(8GB*1)	DS	SEC 446 BCPB	K4A4G085WD	13-13-13-33	1.5V	•	•	•
CRUCIAL	MTA8ATF51264AZ-2G1A1	4G	SS	MICRON	4QA77D9RCQ	13-13-13-33	1.2V	•	•	•
TEAM	TED44GM2133C15BK	4G	DS	SEC 443 BCBP	K4A4G085WD	15-15-15-36	1.2V	•	•	•
TEAM	TED48GM2133C15BK	8G	SS	SEC 437BCBP	K4A4G085WD	15-15-15-36	1.2V	•	•	•
APACER	78.C1GM3.AF10B	8G	DS	SK HYNIX	H5AN4G8NMFR	14-14-14-33	1.5V	•	•	•
APACER	AU04GGB13CDTBGC	4G	SS	SK HYNIX	H5AN4G8NMFR	14-14-14-33	1.5V	•	•	•
TEKISM	T4U2133B8G15-SAD	8G	DS	SEC 446 BCPB	K4A4G085WD			•	•	•
G.SKILL	F4-2133C15Q-16GRB	16GB(4GB*4)	SS	N/A	Heat-Sink Package	15-15-15-35	1.2V	•	•	•
ADATA	AD4U2133W4G15-B	4GB	SS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-36	-	•	•	•
ADATA	AD4U2133W8G15	8GB	DS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-36	1.2	•	•	•
Apacer	78.B1GM3.AF00B	4GB	SS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-36	1.2	•	•	•
Apacer	78.C1GM3.AF10B	8GB	DS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-36	1.2	•	•	•
AVEXIR	AVD4U21331504G-4M	4GB	SS	AVEXIR	512X8DDR4	15-15-15-35	1.2	•	•	•
CENTURY MICRO INC	CD8G-D4U2133	8GB	DS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-36	-	•	•	•
CENTURY MICRO INC	CK8GX4-D4U2133	32GB(4x8GB)	DS	SK hynix	H5AN4G8NMFRTFC	15-15-15-35	1.2	•	•	•
CORSAIR	CMD16GX4M4B2133C10(Ver3.20)	16GB (4x 4GB)	SS	-	-	10-12-12-31	1.35	•	•	•
CORSAIR	CMK16GX4M4A2133C13(Ver4.23)(XMP)	16GB (4x 4GB)	SS	-	-	13-15-15-28	1.2	•	•	•
CORSAIR	CMK32GX4M4A2133C13(Ver4.23)(XMP)	32GB (4x 8GB)	DS	-	-	13-15-15-28	1.2	•	•	•
CORSAIR	CMK64GX4M8A2133C13(Ver4.23)(XMP)	64GB (8x 8GB)	DS	-	-	13-15-15-28	1.2	•	•	•
CORSAIR	CMV4GX4M1A2133C15	4GB	SS	-	-	15-15-15-36	1.2	•	•	•
CORSAIR	CMV8GX4M1A2133C15	8GB	DS	-	-	15-15-15-36	1.2	•	•	•
Crucial	CT4G4DFS8213.8FA1	4GB	SS	Micron	D9RGQ	15-15-15-37	1.2	•	•	•

Crucial	CT4G4DFS8213.8FA2	4GB	SS	Micron	D9RGQ	2133-15-15-15-36	1.2	•	•	•
Crucial	CT8G4DFD8213.16FA1	8GB	DS	Micron	D9RGQ	15-15-15-37	1.2	•	•	•
Crucial	CT8G4DFD8213.16FA2	8GB	DS	Micron	D9RGQ	2133-15-15-15-36	1.2	•	•	•
Crucial	CT8G4DFD8213.C16FAR11	8GB	DS	Micron	C9BDH	15-15-15-36	1.2	•	•	•
G.SKILL	F4-2133C15Q-16GRR	16GB (4x 4GB)	SS	-	-	15-15-15-35	1.2	•	•	•
G.SKILL	F4-2133C15Q-32GRR	32GB (4x 8GB)	DS	-	-	15-15-15-35	-	•	•	•
GelL	GPR416GB2133C15QC	16GB (4x4GB)	SS	-	-	2133-15-15-15-36	1.2	•	•	•
Kingston	KVR21N15D8/8	8GB	DS	SK hynix	H5AN4G8NMFRTFC	15-15-15-37	1.2	•	•	•
Kingston	KVR21N15S8/4	4GB	SS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-37	1.2	•	•	•
KLEVV	KM4C4GX4N-2133-15-15-15-35-0	4GB	SS	-	-	15-15-15-35	1.2	•	•	•
KLEVV	KM4C4GX4N-2133-15-15-15-35-1	4GB	SS	-	-	15-15-15-35	1.2	•	•	•
KLEVV	KM4C8GX4N-2133-15-15-15-35-0	8GB	DS	-	-	15-15-15-35	1.2	•	•	•
KLEVV	KM4C8GX4N-2133-15-15-15-35-1	8GB	DS	-	-	15-15-15-35	1.2	•	•	•
Micron	MTA16ATF1G64AZ-2G1A2	8GB	DS	Micron	D9RG0	2133-15-15-15-36	-	•	•	•
Micron	MTA8ATF51264AZ-2G1A2	4GB	SS	Micron	D9RG0	2133-15-15-15-36	-	•	•	•
Panram	PUD42133C154G2VS	8GB (2x 4GB)	SS	SK Hynix	H5AN4GBNMFRTFC	15-15-15-36	1.2	•	•	•
panram	PUD42133C154GNJK	4GB	SS	-	-	15-15-15-36	1.2	•	•	•
Panram	PUD42133C158G2VS	16GB (2x 8GB)	DS	SK Hynix	H5AN4GBNMFRTFC	15-15-15-36	1.2	•	•	•
Samsung	M378A1G43DB0-CPB	8GB	DS	Samsung	K4A4G085WD	15-15-15-36	-	•	•	•
Samsung	M378A5143DB0-CPB	4GB	SS	Samsung	K4A4G085WD	15-15-15-36	-	•	•	•
SanMax	SMD-4G28HP-21P	4GB	SS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-37	-	•	•	•
SanMax	SMD-8G28HP-21P	8GB	DS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-37	-	•	•	•
Silicon Power	SP004GBLFU213N01	4GB	SS	Samsung	K4A4G085WD	15-15-15-37	-	•	•	•
Silicon Power	SP008GBLFU213N01	8GB	DS	Samsung	K4A4G085WD	15-15-15-37	-	•	•	•
SK Hynix	HMA82GU6MFR8N-TF	16GB	DS	SK Hynix	H5AN8G8NMFRTFC	15-15-15-36	-	•	•	•
SUPER TALENT	FBU2B008GM	8GB	DS	Micron	D9RGQ	15-15-15-36	1.2	•	•	•
Team	TED44GM2133C15ABK	4GB	SS	SK Hynix	H5AN4G8NMFRTFC	15-15-15-36	1.2	•	•	•
UMAX	84G44G93MC-21OMCALGF15	4GB	SS	Micron	D9RGQ	15-15-15-36	-	•	•	•
UMAX	84G48G93MC-21OMCGNGF15	8GB	DS	Micron	D9RGQ	15-15-15-36	-	•	•	•

4 DIMM Slots

- **1 DIMM:** Supports one module inserted in any slot as Single-channel memory configuration
- **2 DIMM:** Supports one pair of modules inserted into either the [Gray](#) slots or the [black](#) slots as one pair of Dual-channel memory configuration
- **4 DIMM:** Supports 4 modules inserted into both the [Gray](#) and [black](#) slots as two pairs of Dual-channel memory configuration

-When installing total memory of 4GB capacity or more, Windows 32-bit operation system may only recognize less than 3GB. Hence, a total installed memory of less than 3GB is recommended.

-It is recommended to install the memory modules from the [Gray](#) slots for better overclocking capability.

-The default DIMM frequency depends on its Serial Presence Detect (SPD), which is the standard way of accessing information from a memory module. Under the default state, some memory modules for overclocking may operate at a lower frequency than the vendor-marked value.

-Supports Intel® Extreme Memory Profile (XMP)

-The maximum memory frequency supported varies by processor