


P8B-X

How to differentiate REV 1.0x and REV 2.0x



By ASUS Server BU
Aug 12, 2011

How to differentiate the motherboard VGA chipset location

R1.0x (Z9s)




R2.0x (AST1100)




How to differentiate the motherboard

PCB revision location

R1.0x (Z9s)




R2.0x (AST1100)




How to differentiate the motherboard

SN label location

R1.0x (Z9s)



R2.0x (AST1100)



* **B** means year, B=2011, C=2012... **9** means month, 1...9, A, B, C

** After September 2011, we will be shipping R2.0x, the SN will be **B9S2XXXXXXXX** or above


How to differentiate the motherboard

PCBA revision location

R1.0x (Z9s)



R2.0x (AST1100)



* **B06** or earlier PCBA revision indicate **R1.0x**

** After September 2011, we will be shipping **R2.0x**, the PCBA revision will be **C03** or above

Functionality – OS support list

Supplier	Component name and version		R1.0x (Z9s)	R2.0x (AST1100)
Microsoft	Windows Server 2008 Enterprise Edition SP2	x86	V	V
	Windows Server 2008 Standard Edition R2	x64	V	V
	Windows 7	x86	V	V
	Windows 7	x64	V	V
Red Hat	Red Hat Enterprise Linux AS 5.6	x86	X	V
	Red Hat Enterprise Linux AS 5.6	x64	X	V
	Red Hat Enterprise Linux AS 5.5	x86	V	V
	Red Hat Enterprise Linux AS 5.5	x64	V	V
	Red Hat Enterprise Linux AS 6.0	x86	V	V
	Red Hat Enterprise Linux AS 6.0	x64	V	V
Novell	SuSE Linux Enterprise Server 11.1	x86	V	V
	SuSE Linux Enterprise Server 11.1	x64	V	V
CentOS	CentOS 5.6	x86	X	V
	CentOS 5.6	x64	X	V
	CentOS 5.5	x86	V	V
	CentOS 5.5	x64	V	V

PS: 'X' means vendor doesn't provide driver. When using OS default driver only can support 1280 x 1024
 'V' means vendor provide driver, could support 1600 x 1200

Functionality – Maximum resolution

R1.0x (Z9s)	R2.0x (AST1100)
<p>1280 x 1024</p> <p>* Vendor doesn't provide Z9s driver for Red Hat 5.6 and CentOS 5.6 or later OS, when using OS default driver only could support <u>1280 x 1024</u></p> <p>1600 x 1200</p> <p>* Driver provided by vendor for previous OS could support <u>1600 x 1200</u>. (Detail please refer to previous page)</p>	<p>1600 x 1200</p>