

**Qualified Vendors List (QVL)** Standard table for user manual

Size	Vendor	Part No.	CL	Chip Brand	SS/DS	Chip No.	DIMM socket support (Optional)	
							A*	B*
DDR2 1066 1G	Kingston	KHX8500D2K2/2GN	N/A	Kingston	SS	Heat-Sink Package	N/A	Pass
DDR2 1066 1G	Transcend	181867-0019	5	Transced	DS	Heat-Sink Package	Pass	Pass

A\* : Supports one module inserted in any slot as Single-channel memory configuration

B\* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

## Qualified Vendors List (QVL) Standard table for user manual

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)	
							A*	B*
DDRII 800 1G	Kingston	KHX6400D2K2/2G	N/A	Kingston	DS	Heat-Sink Package	Pass	Pass
DDRII 800 1G	Samsung	KR M378T2953CZ3-CE7	N/A	Samsung	DS	K4T51083QC-ZCE7	Pass	Pass
DDRII 800 512MB	Qimonda	HYS64T64000EU-2.5-B2	6	Qimonda	SS	HYB18T512800B2F25FSS28380	Pass	Pass
DDRII 800 1G	Corsair	XMS2-6400	5	Corsair	DS	Heat-Sink Package	Pass	Pass
DDRII 800 1G	HY	HYMP512U64CP8-S5 AB	5	Hynix	DS	HY5PS12821CFPS5	Pass	Pass
DDRII 800 2G	Apacer	AHU02GE800C5N1C	5	Apacer	DS	Heat-Sink Package	Pass	Pass
DDRII 800 512MB	ADATA	M20AD6G3H3160I1E58	N/A	ADATA	SS	AD29608A8A-25EG80720	Pass	Pass
DDRII 800 512MB	VDATA	M2GVD6G3H3160I1E53	N/A	VDATA	SS	VD29608A8A-25EG30648	Pass	Pass
DDRII 800 512MB	PSC	AL6E8E63B-8E1K	5	PSC	SS	A3R12E3HEF641B9A05	Pass	Pass

A\* : Supports one module inserted in any slot as Single-channel memory configuration

B\* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

## Qualified Vendors List (QVL) Standard table for user manual

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)	
							A*	B*
DDRII 667 512MB	Kingston	KVR667D2N5/512	N/A	Elpida	SS	E5108AGBG-6E-E	Pass	Pass
DDRII 667 1G	Kingston	KVR667D2N5/1G	N/A	Elpida	DS	E5108AGBG-6E-E	Pass	Pass
DDRII 667 512MB	Samsung	KR M378T6453FZ0-CE6	N/A	Samsung	DS	K4T56083QF-ZCE6	Pass	Pass
DDRII 667 1G	Samsung	KR M378T2953CZ0-CE6	N/A	Samsung	DS	K4T51083QC-ZCE6	Pass	Pass
DDRII 667 2G	Qimonda	HYS64T256020EU-3S-B	5	Qimonda	DS	HTB18T1G800BF-3S3VV10907	Pass	Pass
DDRII 667 1G	Corsair	VS1GB667D2	N/A	Corsair	DS	MID095D62864M8CEC	Pass	Pass
DDRII 667 1G	HY	HYMP512U64CP8-Y5 AB	5	Hynix	DS	HY5PS12521CFP-Y5	Pass	Pass
DDRII 667 1G	Kingmax	KLCD48F-A8KB5	N/A	Kingmax	DS	KKEA88B4LAUG-29DX	Pass	Pass
DDRII 667 512MB	Apacer	AU512E667C5KBGC	5	Apacer	SS	AM4B5708GQJS7E06332F	Pass	Pass
DDRII 667 1G	Apacer	AU01GE667C5KBGC	5	Apacer	DS	AM4B5708MIJS7E0627B	Pass	Pass
DDRII 667 512MB	ADATA	M20EL5G3H3160B1C0Z	N/A	Elpida	SS	E5108AE-6E-E	Pass	Pass
DDRII 667 512MB	VDATA	M2GVD5G3H31A4I1C52	N/A	VDATA	SS	VD29608A8A-3EC20615	Pass	Pass
DDRII 667 1G	VDATA	M2GVD5G3I4176I1C52	N/A	VDATA	DS	VD29608A8A-3EG20641	Pass	Pass
DDRII 667 512MB	PSC	AL6E8E63B-6E1K	5	PSC	SS	A3R12E3GEF637BLC5N	Pass	Pass
DDRII 667 256MB	Nanya	NT256T64UH4A1FY-3C	N/A	Nanya	SS	NT5TU32M16AG-3C	Pass	Pass

A\* : Supports one module inserted in any slot as Single-channel memory configuration

B\* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

### Qualified Vendors List (QVL) Standard table for user manual

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)	
							A*	B*
DDRII 533 1G	Kingston	KVR533D2N4/1G	N/A	Kingston	DS	D6408TLRAGL37U	Pass	Pass
DDRII 533 512MB	Samsung	M378T6553BG0-CD5	4	Samsung	SS	K4T51083QB-GCD5	Pass	Pass
DDRII 533 1G	HY	HYMP512U64CP8-C4 AB	4	Hynix	DS	HY5PS12821CFP-C4	Pass	Pass
DDRII 533 1G	Micron	MT 16HTF12864AY-53EA1	4	Micron	DS	D9CRZ	Pass	Pass
DDRII 533 512MB	Corsair	VS512MB533D2	N/A	Corsair	DS	MIII0052532M8CEC	Pass	Pass
DDRII 533 512MB	Elpida	EBE51UD8ABFA-5C-E	N/A	Elpida	SS	E5108AB-5C-E	Pass	Pass
DDRII 533 512MB	Kingmax	KLBC28F-A8EB4	N/A	Elpida	SS	E5108AE-5C-E	Pass	Pass
DDRII 533 2G	ADATA	M20AD2H3J4170I1B53	N/A	ADATA	DS	AD20908A8A-37DG30721	Pass	Pass

A\* : Supports one module inserted in any slot as Single-channel memory configuration

B\* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration