User Guide

DSL-N55U-C1

Dual-band N600 Wireless ADSL Modem Router





E8624 First Edition Sept. 2013

Copyright © 2013 ASUSTeK Computer Inc. All Rights Reserved.

No part of this manual, including the products and software described in it, may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form or by any means, except documentation kept by the purchaser for backup purposes, without the express written permission of ASUSTEK Computer Inc. ("ASUS").

Product warranty or service will not be extended if: (1) the product is repaired, modified or altered, unless such repair, modification of alteration is authorized in writing by ASUS; or (2) the serial number of the product is defaced or missing.

ASUS PROVIDES THIS MANUAL "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ASUS, ITS DIRECTORS, OFFICERS, EMPLOYEES OR AGENTS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OR DATA, INTERRUPTION OF BUSINESS AND THE LIKE), EVEN IF ASUS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES ARISING FROM ANY DEFECT OR ERROR IN THIS MANUAL OR PRODUCT.

SPECIFICATIONS AND INFORMATION CONTAINED IN THIS MANUAL ARE FURNISHED FOR INFORMATIONAL USE ONLY, AND ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE, AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY ASUS. ASUS ASSUMES NO RESPONSIBILITY OR LIABILITY FOR ANY ERRORS OR INACCURACIES THAT MAY APPEAR IN THIS MANUAL, INCLUDING THE PRODUCTS AND SOFTWARE DESCRIBED IN IT.

Products and corporate names appearing in this manual may or may not be registered trademarks or copyrights of their respective companies, and are used only for identification or explanation and to the owners' benefit, without intent to infringe.

Table of contents

1	A quick look	5
	Package contents	5
	Your ADSL router	6
2	Creating your network	9
	Positioning your router	9
	What you need	10
	Connecting your devices	11
	Before you proceed	12
3	Network configuration using the web GUI	17
	Logging in to the web GUI	17
	Setting up the wireless security settings	19
	Managing your network clients	
	Monitoring your USB device	
	Creating your Guest Network	
	Using the Traffic Manager	
	Using the USB Extension	
	Configuring the Advanced settings	
	Setting up your network printer	
4	Using the utilities	43
	Device Discovery	43
	Firmware Restoration	
5	Troubleshooting	45
	Troubleshooting	45
	ASUS DDNS Service	49

Appendices Notices	
Notices	51
Networks Global Hotline Information	65
ASUS Contact information	68

1 A quick look

Package contents

- ADSL WiFi modem router
- ☑ Network cable
- ☑ AC adapter
- ☑ Phone cable
- ☑ Quick Start Guide
- Support CD (User Manual/utilities)

ſ	
L	
L	
L	~
L	

- If any of the items is damaged or missing, contact ASUS for technical inquiries and support. Refer to the ASUS Support Hotline list at the back of this user manual.
- Keep the original packaging material in case you would need future warranty services such as repair or replacement.

Your ADSL router

TOP features





Power LED

Off: No power.

On: Device is ready. Flashing slowly: Rescue mode Flashing quickly: WPS in progress.



3

WAN LED

Off: No power or no physical connection.

On: Has physical connection to a wide area network (WAN).

Internet LED

Off: No power or no Internet connection.

Flashing: Transmitting or receiving data.

On: Internet connection is established.

4	LAN LED
	Off: No power or no physical connection
	On: Has physical connection to an Ethernet network
	Flashing: Transmitting or receiving data (through Ethernet cable)
5	2.4GHz LED
	Off: No 2.4GHz signal.
	On: Wireless system is ready.
	Flashing: Transmitting or receiving data via wireless connection.
6	5GHz LED
	Off: No 5GHz signal.
	On: Wireless system is ready.

Flashing: Transmitting or receiving data via wireless connection.




• Use only the power adapter that came with your package. Using other adapters may damage the device.

• Specifications:

DC Power adapter	DC Output: +12V with max 2A current;				
Operating Temperature	0~40°C	Storage	0~70°C		
Operating Humidity	50~90%	Storage	20~90%		

Rear features



2 Creating your network

Positioning your router

To get the best wireless network performance from your wireless router, follow the recommendations below:

- Place the wireless router at the center of your network for maximum wireless coverage.
- Keep the device away from metal obstructions and away from direct sunlight.
- Keep the device away from 802.11g or 20MHz only Wi-Fi devices, 2.4GHz computer peripherals, Bluetooth devices, cordless phones, transformers, heavy-duty motors, fluorescent lights, microwave ovens, refrigerators, and other industrial equipment to prevent signal interference or loss.



What you need

To set up your network, you need one or two computers that meet the following system requirements:

- Ethernet RJ-45 (LAN) port (10Base-T/100Base-TX/1000Base-T)
- IEEE 802.11b/g/n wireless capability
- An installed TCP/IP service
- Web browser such as Microsoft Internet Explorer, Mozilla Firefox, Apple Safari, or Google Chrome




- If your computer does not have built-in wireless capabilities, install an IEEE 802.11b/g/n WLAN adapter to your computer to connect to the network.
- With its dual band technology, your ADSL router supports 2.4GHz and 5GHz wireless signals simultaneously. This allows you to browse the Internet or access e-mail messages using the 2.4GHz band while streaming high-definition audio/video files such as movies or music using the 5GHz band.
- If you are using only one computer with a single band IEEE 802.11b/g/n WLAN adapter, you will only be able to use the 2.4GHz band.
- If you are using only one computer with a dual band IEEE 802.11a/b/g/n WLAN adapter, you will be able to use the 2.4GHz or 5GHz band.
- If you are using two computers with both IEEE 802.11a/b/g/n WLAN adapters, you will be able to use both 2.4GHz and 5GHz bands simultaneously.
- The Ethernet RJ-45 cables used to connect the network devices should not exceed 100 meters.

Connecting your devices



- Use a wired connection when setting up your wireless router to avoid possible wireless setup issues.
- Before setting up your ASUS wireless router, do the following:
 - If you are replacing an existing router, disconnect it from your network.
 - Disconnect the cables/wires from your existing modem. If your modem has a backup battery, remove it as well.
 - Reboot your computer (recommended).

Wired connection



To set up your ADSL router using a wired connection:

- 1. Insert the splitter's line connector to the phone outlet and connect your phone into the phone port.
- 2. Using the bundled phone cable, connect your DSL-N55U-C1's ADSL port to the splitter's DSL port.
- 3. Using the bundled network cable, connect your computer to the ADSL router's LAN port.

Before you proceed



Before configuring your wireless router, apply the steps described in this section to each computer on the network to avoid problems connecting to the wireless network.

A. Disable any configured proxy servers.

Windows[®] 7

- 1. Click Start > Internet Explorer.
- 2. Click Tools > Internet options > Connections tab > LAN settings.

ternet Options	8 23
General Security Privacy Content Connections	Programs Advanced
To set up an Internet connection, dick Setup.	Setup
Dial-up and Virtual Private Network settings	
	Add
	Add VPN
	Remove
Choose Settings if you need to configure a proxy server for a connection.	Settings
Never dial a connection	
Dial whenever a network connection is not pres	ent
 Always dial my default connection 	
Current None	Set default
Local Area Network (LAN) settings	
LAN Settings do not apply to dial-up connections. Choose Settings above for dial-up settings.	LAN settings
ок с	ancel Apply

- 3. From the Local Area Network (LAN) Settings window, uncheck **Use a** proxy server for your LAN.
- 4. Click OK then Apply.

Local Area Network (LAN) Settings						
Automatic configuration						
Automatic configuration may override manual settings. To ensure the use of manual settings, disable automatic configuration.						
Automatically detect settings						
Use automatic configuration script						
Address						
Proxy server						
Use a proxy server for your LAN (These settings will not apply to glal-up or VPN connections).						
Address: Port: Advanced						
Bypass proxy server for local addresses						
OK Cancel						

MAC OSX

1. From your Apple Safari browser, click Safari > Preferences > Advanced. On the Proxies item, click Change Settings...



- 2. From the **Network** screen, uncheck **FTP Proxy** and **Web Proxy** (HTTP).
- 3. Click OK then Apply.





B. Configure TCP/IP settings to automatically obtain an IP address.

Windows[®] 7

- 1. Click Start > Control Panel > Network and Internet > Network and Sharing Center > Change adapter settings.
- 2. On the Network Connections window, click on **Local Area Connection**.
- 3. On the Local Area Connection Network Status window, click **Properties**.

 Select Internet Protocol Version 4 (TCP/IPv4) or Internet Protocol Version 6 (TCP/IPv6), then click **Properties**.





- 6. Tick Obtain an IP address automatically.
- 7. Click **OK**.

eneral Alternate Configu					
You can get IP settings as this capability. Otherwise, for the appropriate IP set	you need				
Obtain an IP address	automati	cally			
Use the following IP	address:		_		
IP address:					
Subnet mask:					
Default gateway:			4		
Obtain DNS server and	ddress aut	tomatica	ly		
Use the following DN	S server a	ddresse	s:		
Preferred DNS server:					
Alternate DNS server:					
Validate settings up	on exit			Adv	anced

MAC OSX

1. Click Apple Menu >System Preferences > Network




- 2. Click **Ethernet** on the left panel.
- 3. On the Configure IPv4, item select **Using DHCP**.
- 4. Cllick Apply.

Locatio	n: zhel connection	•
Ethernet Connected	Status:	Connected Ethernet is currently active and has the IP address 10.0.2.15.
	Configure IPv4:	
	Fubret Mask	255.255.255.0
		10.0.2.2
	DNS Server:	10.012.12
	Search Domains:	
- 0-	Jear en bonnany.	(Advanced)

Setting up your ADSL router

1. Ensure that the ADSL LED on the DSL-N55U-C1 front panel is on and not flashing.



2. Launch your web browser. The QIS web page appears automatically and starts detecting your connection type, VPI/VCI value and encapsulation mode.



If the QIS web page does not appear after you launched your web browser, disable the proxy settings on your web browser.

/ISLIS				
Quick Internet Setup	Quick Manu:	al Setting		٢
Internet Setup Router Setup		select your country and ISP nat	adothy configure the DSL-NOSU WWN settings, please the from the diapobenetist, click that, and effect the prove themset device a howder (SDT) be a reformation about a factorisary. Taken Tenel;PVC:00/33) • Next	

3 Network configuration using the web GUI

Logging in to the web GUI

Your ASUS Wireless Router uses a web-based user interface that allows you to configure the router using any web browser such as Internet Explorer, Mozilla Firefox, Apple Safari, or Google Chrome.

To log in to the web GUI:

- Launch your web browser and manually key in the wireless router's default IP address: <u>192.168.1.1</u> or default domain name: <u>http://router.asus.com</u>.
- 2. On the login page, key in the default user name (**admin**) and password (**admin**).

Windows Security	×
The server 192.16 password.	68.1.1 at DSL-N55U-C1 requires a username and
-	rver is requesting that your username and password be re manner (basic authentication without a secure
	admin ••••• Remember my credentials
	OK Cancel

3. The wireless router GUI provides access to various configuration settings.



Setting up the wireless security settings

To protect your wireless network from unauthorized access, you need to configure its security settings.

To set up the wireless security settings:

- Key in <u>http://router.asus.com</u> or <u>http://192.168.1.1</u> on your web browser.
- 2. On the login screen, key in the default user name (**admin**) and password (**admin**), then click **OK**. The wireless router's web GUI launches.
- 3. On the Network Map screen, select the **System status** icon to display the wireless security settings such as SSID, security level, and encryption settings.



You can set up different wireless security settings for 2.4GHz and 5GHz bands.

2.4GHz security settings



5GHz security settings



- 4. On the **Wireless name (SSID)** field, key in a unique name for your wireless network.
- 5. From the **Security Level** dropdown list, select the encryption method for your wireless network.

ᠿ

The IEEE 802.11n/ac standard prohibits using High Throughput with WEP or WPA-TKIP as the unicast cipher. If you use these encryption methods, your data rate will drop to IEEE 802.11g 54Mbps connection.

- 6. Key in your security passkey.
- 7. Click **Apply** when done.

Managing your network clients

To manage your network clients:

- 1. Launch the wireless router's web GUI.
- 2. On the Network Map screen, select the **Client Status** icon to display information about your network clients.

Quick Internet	Operation Mode: <u>Wireless router</u> Firmware Version: SSID:	ASUS	ASUS_SG	8648
General		_	Client sta	tus
Network Map	Internet status: Disconnected DDNS: <u>60</u>	&		192.168.1.197
🔬 Guest Network		&		192.168.1.189
Manager Traffic Manager	Security level:	&	isnow	192.168.1.7
Parental control	Open System ¹	*		192.168.1.60
disc use application			Refresh	
AiCloud				
Advanced Settings				
察 Wireless				
🕼 lan	Clients: 4 No Device			

Monitoring your USB device

The ASUS Wireless Router provides two USB 2.0 ports for connecting USB devices such as a USB storage device and USB printer, to allow you to monitor the working environment, share files, and printer with clients in your network.

To use this feature, you need to plug a USB storage device, such as a USB hard disk or USB flash drive, to the USB 2.0 port on the rear panel of your wireless router. Ensure that the USB storage device is formatted and partitioned properly. Refer to the Plugn-Share Disk Support List at

http://event.asus.com/networks/disksupport



You first need to create a user account to allow other network clients to access the USB device. For more details, refer to the section **Using AiDisk for sharing files** in this user manual.

To monitor your USB device:

- 1. Launch the wireless router's web GUI.
- 2. On the Network Map screen, select the **USB Disk Status** icon to display information about your USB device.



3. On the AiDisk Wizard field, click **GO** to set up an FTP server for Internet file sharing.





- For more details, refer to the section Using the Network Place (Samba) Share service and Using the FTP Share service in this user manual.
- On USB External HDD/Flash disk:
 - The wireless router works with most USB HDDs/Flash disks (up to 2TB size) and supports read-write access for FAT16, FAT32, EXT2, EXT3, and NTFS.
 - To safely remove the USB disk, launch the web GUI (<u>http://</u>router.asus.com or <u>http://192.168.1.1</u>), then in the upper right corner of Network Map page click the USB icon > click **Eject USB1**.
 - Incorrect removal of the USB disk may cause data corruption.

Creating your Guest Network

The Guest Network provides Internet connectivity for temporary visitors without providing access to your private network.

To create your guest network:

- 1. Launch the wireless router's web GUI.
- 2. On the Guest Network screen, click **Create** to create a network for your visitors.

The Guest Network provides Ini your Intranet.	ternet connection for guests bu	t restricts access to
Enable	Enable	Enable
enable	Enable	Enable
Enable	Enable	Enable

Using the Traffic Manager

Managing QoS (Quality of Service) Bandwidth

The Quality of Service (QoS) allows you to set the bandwidth priority and manage the network traffic.

To set up the bandwidth priority:

- 1. Launch the wireless router's web GUI.
- 2. On the Traffic Manager screen, select the **QoS** tab.
- 3. Click **ON** to enable the default rule and fill in the upload and download bandwidth fields.



- Get the bandwidth information from your ISP.
- If you want to prioritize specific network applications and network devices, select your preferred priority from the Userdefined QoS rules.

+ A+ Quick Internet	Firmware Version:: 1.0.	3.0 SSID: ASUS ASU:	<u>s_sc</u>		ź	<u>8</u> ⊕ ← 8
Setup	QoS Traffic Monitor					
General	Traffic Manager - Qo	s				de 💌
Retwork Map		The Quality of Service (QoS	3) ensures the network?	's speed performa	nce. The default rule	
Guest Network	ANNU/	sets online gaming and we applications (peer-to-peer i the QoS slide switch, and fi	applications such as Bi	tTorrent). To enab	le QoS function, Clic	
Traffic Manager	are dood ande minar, and min are dipatod and common can and an and are doed and are done and a second and are done and a second and are done and an area of the second and area of the second area of the s					
Parental control		QoS FAQ				
USB application	QoS					
AiCloud			Save			
Advanced Settings	<u> </u>					
察 Wireless	User Specify Rule List					
0 111 01000	Service Name	Source IP or MAC	Destination Port	Protocol	Transferred	Priority
🚮 lan	Web Surf					Highest
💮 wan	нттря					
IPv6	File Transfer		80	tcp	512	Low

Monitoring Traffic

The traffic monitor function allows you to assess the bandwidth usage and speed of your Internet, LAN, Wired, WLAN (2.4GHz or 5GHz) connections.

4 octob	QeS Traffic Monitor				
Ceneral	Traffic Manager -	Traffic Monitor			Real-tim
🚠 Natwork Nap	Traffic Monitor allows you to m		g pacieta of the following:		
🔊 Guest Nebronk	inter	×	Wred	Wreless	
👫 Trallis Markoor	Reception				a from vireless
🔒 Farental control	Transmission Out;	Admite a state free viewer		s fon vielesa	
USD epplication	NOTE: Facilities from the inter-				
at Killoyd	Internet Wired	Wireless (2.4GHz)	Wireless (SGHz)		
Advanced Settings	36.62 KB/s			Tue	0d: 52 am / 12.2d KB/x
🔶 W (Feloso					
🚮 lan	25.43 Kb/s				
(1) MAN	18.31 KB/s				
😂 IIN					
KDN Samuer	9.10 KD/5				
💟 firenal					
🚨 Administration	Newora	Current	Asragi	Nacmum	ĩca
📝 System Log	Reception	6.10 Key	007 ican	1.90 ca +	5571
	Transmission	1.00 m.	020 mars	0.21 min	1623
	e Help & Man	ual Utility		FAD	

Using the USB application

The USB application function provides **AiDisk**, **Servers Center**, **Network Printer Server**, **Download Master** and **Media Master** submenus.



Using AiDisk for File Sharing


AiDisk allows you to share files in the USB disk through the Internet.



Before using AiDisk, ensure that you have inserted a USB disk into the USB port of your wireless router.

To use AiDisk:

- 1. Click the **AiDisk** icon in USB application.
- 2. From the Welcome to AiDisk wizard screen, click Go.



3. Select the access rights that you want to assign to the clients accessing your shared data.



4. Create your domain name via the ASUS DDNS services, select I will use the service and accept the Terms of service and key in your domain name. When done, click Next.



5. Click **Finish** to finish the setup.



6. To access the FTP site that you created, launch a web browser or a third-party FTP client utility and key in the ftp link (**ftp://<domain name>**) you have previously created.

Using the Network Place (Samba) Share service

Network Place (Samba) Share allows you to set the account and permission for samba service.

To use Samba share:

- 1. Click the **Network place (Samba) Share** tab in the Servers Center of **USB application**.
- 2. Click **Add**, **Delete** or **Modify** to add, delete or modify the account. Click **Apply** when done.

++	Quick Internet	Firmware Version:: 1.0.3.0	SSID: ASUS ASUS_SG			<u>8</u> 8 9	è «	5
	Setup	Network Place(Samba) Share	FTP Share Miscellaneous setting					
	General						6	
	etwork Map	USB Application - Netwo						9
		Set the account and permission of network place(samba) service.						
🧟 🕺	uest Network	Disable Share St	hare with account Refresh page					
22 n	raffic Manager	$\odot \odot \odot$				4	2	2
💼 e	arental control	1 admin	VSL-NGGU SanDisk Cruzer Blade	R/W	R	No		
* •	ISB application		Acoly	-				
ء 🗟	iCloud							
Advar	nced Settings							
🖗 w	rireless	_						
🔂 🛛	AN							
() w	INN							

Using the FTP Share service

Sharing files via the FTP server

The ASUS Wireless Router enables you to share files from your USB storage device via the FTP server with computers in LAN or through the Internet.



To use this feature, you need to insert a USB storage device, such as a USB hard disk or USB flash drive, to the USB2.0 port on the rear panel of your wireless router. Ensure that the USB storage device is formatted and partitioned properly. For the file system support table, please refer to the ASUS website at: http://event.asus.com/2009/networks/disksupport/



Ensure that you safely remove the USB disk. Incorrect removal of the USB disk may cause data corruption.

To share files via the FTP server:

- 1. Ensure that you have set up your FTP server through AiDisk.
- 2. Enable the DDNS service for FTP server access. To do this, follow these steps:
 - a. From the navigation menu, go to **Advanced Settings**> **WAN** > **DDNS** tab.
 - b. In the Enable the DDNS Client? field, tick Yes.
 - c. Key in your **User Name** or **E-mail Address** and **Password** or **DDNS key**.
 - d. Key in your **Host name**. The format should be **xxx.asuscomm.com**, where xxx is your host name.
 - e. When done, click Apply.
- 3. From the navigation menu, click USB application > Servers Center > FTP Share tab and select the account that you want to assign access rights to.

- 4. From the list of files/folders, select the type of access rights that you want to assign for specific files/folders:
 - **R/W**: Select this option to assign read/write access for a specific file/folder.
 - W: Select this option to assign write only access for a specific file/folder.
 - **R**: Select this option to assign read only access for a specific file/folder.
 - No: Select this option if you do not want to share a specific file/folder.
- 5. Click **Apply** to apply the changes.
- 6. To access the FTP server, key in the ftp link ftp://<hostname>.asuscomm.com and your user name and password on a web browser or a third-party FTP utility.

Using the Miscellaneous setting

The Miscellaneous setting tab allows you to configure other settings for the USB disk, including maximum login user, device name, work group and language on FTP server.

To use miscellaneous setting:

- 1. Click the **Miscellaneous setting** tab in the Servers Center of **USB application**.
- 2. Follow the instructions to key in the necessary information.
- 3. When finished, click **Apply**.

+ + + Quick Internet	Firmware Version:: 1.0.3.0 SSID: ASI	IS ASUS_SG	8 9 4 8
Setup	Network Place(Samba) Share FTP Share	Miscellaneous setting	
General			
Retwork Map	USB Application - Miscellaneous s	setting	
Guest Network	More detailed settings for the USB Disk.		
Manager	Device Name	DSL-N66U	
Parental control	Work Group	WORKGROUP	
	Character set on FTP Server	English	
USB application		Apply	
AiCloud			
Advanced Settings			
🛜 Wireless			
🔂 LAN			
💮 wan			

Configuring the Advanced settings

The Advanced Settings items allows you to configure the advanced features of your wireless router.

Setting up the DHCP Server

You may enable the **DHCP Server** function in your wireless router so your network clients can automatically obtain IP addresses from your wireless router.



The ASUS Wireless Router can support up to 253 IP addresses for your network.

To set up the DHCP server:

- 1. From the navigation panel, go to **Advanced Settings** > **LAN**.
- 2. Click DHCP Server tab.

/ISLIS DSL-N55U	-C1 Logout	Reboot	English		
+2+ Quick Internet	Firmware Version: 1.0.4.9 SSID: ASI	is AUSU_EG 👘	80548		
Setup	LAN IP DHCP Server				
General	LAN - DHCP Server				
Network Map	DHCP (Dynamic Host Configuration Protocol) is				
Guest Network	assign each olient an IP address and informs the client of the of DNS server IP and default gateway IP. NamualTy: Assigned 3P around the cectP Tist(Tist Tinitist) PAD				
Manager	Basic Config	Basic Config			
Parental control	Enable the DHCP Server	O Yes ● No 192.165.1.2			
USB application	IP Pool Ending Address	192.268.1.254			
AiCloud	Lease Time				
Advanced Settings	DNS and WINS Server Setting				
察 wireless	DNS Server				
	WINS Server				
សា 🗤	Manually Assigned IP around the DHCP list[list limit:22]				
💮 wan	MAC Address	IP Address	Add / Delete		
IPv6			Ð		
VPN Server		Apply			
Firewall					

- 3. In the Enable the DHCP Server? field, tick Yes.
- 4. In the **IP Pool Starting Address** field, key in the starting IP address.
- 5. In the **IP Pool Ending Address** field, key in the ending IP address.
- 6. In the **Lease Time** field, key in the time that the IP addresses expire and the wireless router automatically assigns new IP Addresses for the network clients.



• For the IP Pool Starting and Ending IP addresses, we recommend that you use:

IP address: 192.168.1.xxx (xxx can be any number between 2 and 254)

• IP Pool Starting Address should not be greater than the IP Pool Ending Address.

Upgrading the firmware



Download the latest firmware from the ASUS website at <u>http://support.asus.com</u>

To upgrade the firmware:

- 1. Click Administration from the navigation panel.
- 2. Click the Firmware Upgrade tab.
- 3. In the **New Firmware File** item, click **Browse**. Navigate to the downloaded firmware file.
- 4. Click **Upload**.

/ISUS DSL-N55U-	-C1 Logout	Reboot			
Quick Internet	Firmware Version: <u>1.0.4.9</u> SSID: <u>ASE</u> System Firmware Upgrade Restore/S				
General	Administration - Firmware Upgrade				
Guest Network	Peake visit the ASUS support alle (http://support.asus.com) to get the latest firmware. Postert ID DSL-NESU-C1				
Traffic Manager	DSL Driver Version	FwVer:3.20.44.0_A_TC3087 HwVer:T14.F7_11.2			
Parental control	Firmware Version	1.0.4.9 Check			
USB application	New Firmware File	(해요) Upload			
AiCloud	Note:				
Advanced Settings	 For a configuration parameter existing both in the old and new firmware, its setting will be kept during the upgrade process. In case the upgrade process fails, DSL-N55U-C1 enters the emergency mode automatically. The LED signals at the front of DSL- 				
🛜 Wireless	N55U-C1 will indicate such situation. U	e the Firmware Restoration utility on the CD to do system recovery.			




If the upgrade process fails, the wireless router automatically enters rescue mode and the power LED indicator on the front panel starts flashing slowly. To recover or restore the system, use the Firmware Restoration utility.

Restoring/Saving/Uploading settings

To restore/save/upload wireless router settings:

- 1. Click Administration on the navigation panel.
- 2. Click the Restore/Save/Upload Setting tab.



- 3. Select a task from the configuration options:
 - To restore to default factory settings, click **Restore**, and click **OK** once prompted.
 - To save the current system settings, click **Save**, navigate to the folder where you intend to save the file and click **Save**.
 - To restore from a saved system settings file, click **Browse** to locate your file, then click **Upload**.

Setting up your network printer


Use the Network Printer Setup utility to set up a USB printer on your wireless router and share the printer with other devices on the network.



- To check if your USB printer is compatible with your ASUS wireless router, refer to the Plug-n-Share Disk Support List at http://event.asus.com/networks/printersupport
- The wireless router's printer server function is not supported on Windows[®] 2000.

To set up your USB Printer:

- 1. Click **USB application** from the left navigation panel, then click **Network Printer Server**.
- 2. Click **Download Now!** in the ASUS EZ printer sharing mode to download the network printer utility.




3. Unzip the downloaded file and click the Printer icon to run the network printer setup program.



🔝 ASUS Printer Setup Utility - InstallS	hield Wizerd
Katwooting, Files The contents of this package are be	ang extracted.
Please wait while the InstallShield WI Printer Setup Utility on your compute	izard extracts the files needed to install ASUS r. This may take a few moments.
Extracting UsbService64.exe	
InstalShield	
	< Back Next > Cancel

4. Follow the onscreen instructions to set up your hardware, then click **Next**.



5. Wait for a few minutes for the initial setup to finish. Click Next.



6. Click **Finish** to complete the installation.



7. Follow the Windows® OS instructions to install the printer driver.

~			9
\bigcirc	💇 Add a device		
	Select a device to add to this computer Windows will continue to look for new devices and display them here.		
	HP Laserlet P2055dn Printer		
	What if Windows doesn't find my device?		
		Next Cancel	

8. After printer driver installation is complete, computers on the network will now be able to access the printer.



4 Using the utilities



- Install the wireless router's utilities from the bundled support CD.
- If Autorun is disabled, run **setup.exe** from the root directory of the support CD.

Device Discovery

Device Discovery is an ASUS WLAN utility that detects any ASUS wireless routers available on the wireless network and allows you to configure the device.

To launch the Device Discovery utility:

 Click Start > All Programs > ASUS Utility > DSL-N55U-C1 Wireless Router > Device Discovery.

/545	DSL-N55U-C	1		-×
Device	SSID	IP Address	Subnet Mask	USB Device
DSL-N55U-C1	ASUS	192.168.1.1	255.255.255.0	ļ
	<u>C</u> onf	igure	<u>S</u> earch	<u>E</u> xit
Number of devices found: 1				



When you set the router to Access Point mode, you need to use Device Discovery to get the router's IP address.

Firmware Restoration

Firmware Restoration is used on an ASUS Wireless Router after a failed firmware upgrade. This utility uploads a firmware file to the wireless router. The process takes about three to four minutes.



Launch rescue mode before using the Firmware Restoration utility.

To launch rescue mode and use the Firmware Restoration utility:

- 1. Unplug the wireless router from its power source.
- 2. While holding down the Reset button at the back of the wireless router, plug the wireless router into a power source. Release the Reset button when the Power LED at the front panel begins to flash slowly, which indicates that the wireless router is in rescue mode.
- 3. Use the following to set up your TCP/IP settings:

IP address: 192.168.1.x Subnet mask: 255.255.255.0

4. From your computer's desktop, click

Start > All Programs > ASUS Utility > DSL-N55U-C1 Wireless Router > Firmware Restoration.

Firmware Resto	ration	X
<u>F</u> ilename:		Browse
After locating	the firmware file, click Upload.	
	<u>Upload</u> <u>Close</u>	

5. Click **Browse** to navigate to the firmware file, then click **Upload**.



The Firmware Restoration utility is not used to upgrade the firmware of a working ASUS Wireless Router. Normal firmware upgrades must be done through the web GUI. Refer to **Upgrading the firmware** for more details.

5 Troubleshooting



If you encounter problems that are not mentioned in this chapter, contact ASUS Technical Support.

Troubleshooting

I cannot access the router GUI for configuring the router.

- Delete the cookies and temporary files in your web browser. To do this in Internet Explorer 8:
 - 1. Launch your web browser, then click **Tools** > **Internet Options.**

2.On the General tab, click **Delete** under Browsing history.

3. Tick Temporary Internet Files and Cookies. Click Delete.



Instructions for deleting cookies and temporary Internet files vary with the web browser.

 Disable the proxy server settings, remove any dial-up connections, and set the TCP/IP settings to obtain IP addresses automatically. For more details, refer to the section **Before you** proceed in this user manual.

The client cannot establish a wireless connection with the router.

Out of Range:

•Place the router closer to the wireless client.

•Change the channel settings.

Authentication:

- Use a wired connection to connect to the router.
- Check the wireless security settings.
- Press the Reset button at the rear panel for more than five seconds.

Cannot find the router:

- Press the Reset button at the rear panel for more than five seconds.
- Check the settings in the wireless adapter such as SSID and encryption method.

Cannot access the Internet using a wireless LAN adapter.

- Place the router closer to the wireless client.
- Check whether the wireless adapter is connected to the correct wireless router.
- Check whether the wireless channel in use conforms to the channels available in your country/area.
- Check the encryption settings.
- Check if the ADSL connection is connected.
- Use a different Ethernet cable.

Internet is not accessible.

- Check the status indicators on the ADSL modem and the wireless router.
- Check if the WAN LED on the wireless router is on. If the LED is off, switch Ethernet cables and try again.

The DSL light is ON (steady and not blinking) and means Internet access is possible, but I still cannot browse the Internet.

- Restart your computer.
- Check if the WAN LED on the wireless router is on.
- Check the wireless encryption settings.
- Check if the computer can get an IP address (using both a wired or wireless connection).
- Check that your web browser is configured to use the local LAN and is not configured to use a proxy server.

If the DSL light blinks continuously or stays off, Internet access is not possible - the Router is unable to establish a connection with the ADSL network.

- Ensure that all your cables are properly connected .
- Disconnect the power cord from the ADSL or cable modem, wait a few minutes, then reconnect the cord.
- If the ADSL light continues to blink or stays OFF, contact your Internet service provider.

Network name or encryption keys are forgotten.

- Set up a wired connection and reconfigure the wireless security settings.
- Press the Reset button at the rear panel of the wireless router for more than five seconds.

How do you restore the system to its default settings?

- Press the Reset button at the rear panel of the wireless router for more than five seconds.
- Refer to the section **Restoring/Saving/Uploading settings** of this user manual.

The following are the factory default settings:

User name:	admin
Password:	admin
Enable DHCP:	Yes (if WAN cable is plugged in)
IP address:	192.168.1.1
Domain name:	(Blank)
Subnet Mask	255.255.255.0
DNS Server 1:	192.168.1.1
DNS Server 2:	(Blank)
SSID:	ASUS

ASUS DDNS Service

The ASUS DSL-N55U-C1 WiFi Modem Router supports the ASUS DDNS service. If you have registered for the ASUS DDNS service but need to exchange devices at the service center, inform the service center that you want to keep the original domain name and retain the DDNS service. Visit your local service center for more information.



- If there is no activity in the domain such as reconfiguring the router or accessing the registered domain name - within 90 days, the system automatically deletes the registered information.
- If you encounter any problem or difficulty in using your device, contact the service center.

Frequently Asked Questions (FAQs)

1. Will the registered information be lost or registered by others?

If you have not updated the registered information in 90 days, the system automatically deletes the registered information and the domain name may be registered by others.

2. I did not register the ASUS DDNS for the router I bought six months ago. Can I still register it?

Yes, you can still register the ASUS DDNS service for your router. The DDNS service is embedded in your router, so you can register the ASUS DDNS service anytime. Before registering, click **Query** to check if the hostname has been registered or not. If the hostname is available, the system registers the hostname automatically. 3. I have registered a domain name before and it has been working well until my friends told me that they could not access my domain name.

Check the following:

- 1. Internet connection is available.
- 2. The DNS server is working properly.
- 3. The last time you updated the domain name.

If there are still problems in accessing your domain name, contact the service center.

4. Can I register two domain names so I can access my HTTP and FTP servers separately?

No, you cannot. You can only register one domain name for one router. You can use port mapping to implement both services and make them available from outside your local network.

5. After restarting the router, why is it that I see a different WAN IP address in MS-DOS and in the router configuration page?

This is normal. The interval time between the ISP DNS server and ASUS DDNS results in different WAN IPs in MS-DOS and in the router configuration page. Different ISPs may have different interval times for updating IP addresses.

6. Is the ASUS DDNS service free, or is it just a trial version?

The ASUS DDNS service is a free and embedded service in some ASUS routers. Check your ASUS router if it supports the ASUS DDNS service.

Appendices

Notices

ASUS Recycling/Takeback Services

ASUS recycling and takeback programs come from our commitment to the highest standards for protecting our environment. We believe in providing solutions for you to be able to responsibly recycle our products, batteries, other components, as well as the packaging materials. Please go to <u>http://csr.asus.com/english/Takeback.htm</u> for the detailed recycling information in different regions.

REACH

Complying with the REACH (Registration, Evaluation, Authorisation, and Restriction of Chemicals) regulatory framework, we published the chemical substances in our products at ASUS REACH website at http://csr.asus.com/english/index.aspx

Federal Communications Commission Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Prohibition of Co-location

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter

Safety Information

To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with minimum distance 20cm between the radiator and your body. Use on the supplied antenna.

Declaration of Conformity for R&TTE directive 1999/5/EC

Essential requirements - Article 3

Protection requirements for health and safety – Article 3.1a Testing for electric safety according to EN 60950-1 has been conducted. These are considered relevant and sufficient.

Protection requirements for electromagnetic compatibility – Article 3.1b

Testing for electromagnetic compatibility according to EN 301 489-1 and EN 301 489-17 has been conducted. These are considered relevant and sufficient.

Effective use of the radio spectrum – Article 3.2

Testing for radio test suites according to EN 300 328- 2 has been conducted. These are considered relevant and sufficient.

CE Mark Warning

This is a Class B product, in a domestic environment, this product may cause radio interference, in which case the user may be required to take adequate measures.

Canada, Industry Canada (IC) Notices

This Class B digital apparatus complies with Canadian ICES-003 and RSS-210.

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Radio Frequency (RF) Exposure Information

The radiated output power of the Wireless Device is below the Industry Canada (IC) radio frequency exposure limits. The Wireless Device should be used in such a manner such that the potential for human contact during normal operation is minimized. This device has been evaluated for and shown compliant with the IC Specific Absorption Rate ("SAR") limits when installed in specific host products operated in portable exposure conditions (antennas are less than 20 centimeters of a person's body).

This device has been certified for use in Canada. Status of the listing in the Industry Canada's REL (Radio Equipment List) can be found at the following web address: http://www.ic.gc.ca/app/sitt/reltel/srch/ nwRdSrch.do?lang=eng

Additional Canadian information on RF exposure also can be found at the following web: http://www.ic.gc.ca/eic/site/smt-gst. nsf/eng/sf08792.html

Canada, avis d'Industry Canada (IC)

Cet appareil numérique de classe B est conforme aux normes canadiennes ICES-003 et RSS-210.

Son fonctionnement est soumis aux deux conditions suivantes: (1) cet appareil ne doit pas causer d'interférence et (2) cet appareil doit accepter toute interférence, notamment les interférences qui

peuvent a ecter son fonctionnement.

NCC 警語

經型式認證合格之低功率射頻電機,非經許可,公司、商號或 使用者均不得擅自變更頻率、加大功率或變更原設計之特性及 功能。低功率射頻電機之使用不得影響飛航安全及干擾合法通 信;經發現有干擾現象時,應立即停用,並改善至無干擾時方 得繼續使用。前項合法通信,指依電信法規定作業之無線電通 信。低功率射頻電機須忍受合法通信或工業、科學及醫療用電 波輻射性電機設備之干擾。

Authorised distributors in Turkey

BOGAZICI BIL GISAYAR SAN. VE TIC. A.S.

Tel:	+90 212 3311000
Addrress:	AYAZAGA MAH. KEMERBURGAZ CAD. NO.10
	AYAZAGA/ISTANBUL

CIZGI Elektronik San. Tic. Ltd. Sti.

Tel:	+90 212 3567070
Address:	CEMAL SURURI CD. HALIM MERIC IS MERKEZI
	No: 15/C D:5-6 34394 MECIDIYEKOY/ISTANBUL

KOYUNCU ELEKTRONIK BILGI ISLEM SIST. SAN. VE DIS TIC. A.S.

Tel:	+90 216 5288888
Address:	EMEK MAH.ORDU CAD. NO:18, SARIGAZI,
	SANCAKTEPE ISTANBUL

GNU General Public License

Licensing information

This product includes copyrighted third-party software licensed under the terms of the GNU General Public License. Please see The GNU General Public License for the exact terms and conditions of this license. We include a copy of the GPL with every CD shipped with our product. All future firmware updates will also be accompanied with their respective source code. Please visit our web site for updated information. Note that we do not offer direct support for the distribution.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

Terms & conditions for copying, distribution, & modification

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program. In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machinereadable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable. If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

- 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
- 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
- 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously

your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/ donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission.

For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11.BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION. 12 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Networks Global Hotline Information

Region	Country	Hotline Number	Service Hours
	Cyprus	800-92491	09:00-13:00;
	<i>,</i> ,		14:00-18:00 Mon-Fri
	France	0033-170949400	09:00-18:00 Mon-Fri
		0049-1805010920	
	Germany	0049-1805010923	09:00-18:00 Mon-Fri
		(component support)	10:00-17:00 Mon-Fri
		0049-2102959911 (Fax)	
	Hungary	0036-15054561	09:00-17:30 Mon-Fri
	Italy	199-400089	09:00-13:00 ; 14:00-18:00 Mon-Fri
	Greece	00800-44142044	09:00-13:00 ; 14:00-18:00 Mon-Fri
	Austria	0043-820240513	09:00-18:00 Mon-Fri
	Netherlands/ Luxembourg	0031-591570290	09:00-17:00 Mon-Fri
	Belgium	0032-78150231	09:00-17:00 Mon-Fri
Europe	Norway	0047-2316-2682	09:00-18:00 Mon-Fri
	Sweden	0046-858769407	09:00-18:00 Mon-Fri
	Finland	00358-969379690	10:00-19:00 Mon-Fri
	Denmark	0045-38322943	09:00-18:00 Mon-Fri
	Poland	0048-225718040	08:30-17:30 Mon-Fri
	Spain	0034-902889688	09:00-18:00 Mon-Fri
	Portugal	00351-707500310	09:00-18:00 Mon-Fri
	Slovak Republic	00421-232162621	08:00-17:00 Mon-Fri
	Czech Republic	00420-596766888	08:00-17:00 Mon-Fri
	Switzerland-German	0041-848111010	09:00-18:00 Mon-Fri
	Switzerland-French	0041-848111014	09:00-18:00 Mon-Fri
	Switzerland-Italian	0041-848111012	09:00-18:00 Mon-Fri
	United Kingdom	0044-8448008340	09:00-17:00 Mon-Fri
	Ireland	0035-31890719918	09:00-17:00 Mon-Fri
	Russia and CIS	008-800-100-ASUS	09:00-18:00 Mon-Fri
	Ukraine	0038-0445457727	09:00-18:00 Mon-Fri

Region	Country	Hotline Numbers	Service Hours
	Australia	1300-278788	09:00-18:00 Mon-Fri
	New Zealand	0800-278788	09:00-18:00 Mon-Fri
	Japan	0800-1232787	09:00-18:00 Mon-Fri
		0800-1232/8/	09:00-17:00 Sat-Sun
		0081-473905630	09:00-18:00 Mon-Fri
		(Non-Toll Free)	09:00-17:00 Sat-Sun
	Korea	0082-215666868	09:30-17:00 Mon-Fri
	Thailand	0066-24011717	09:00-18:00 Mon-Fri
		1800-8525201	
	Singapore	0065-64157917	11:00-19:00 Mon-Fri
Asia-Pacific		0065-67203835	11:00-19:00 Mon-Fri
		(Repair Status Only)	11:00-13:00 Sat
	Malaysia	0060-320535077	10:00-19:00 Mon-Fri
	Philippine	1800-18550163	09:00-18:00 Mon-Fri
	India	1800-2090365	09:00-18:00 Mon-Sat
	India(WL/NW)	1800-2090305	09:00-21:00 Mon-Sun
	Indonesia	0062-2129495000	09:30-17:00 Mon-Fri
		500128 (Local Only)	9:30 – 12:00 Sat
	Vietnam	1900-555581	08:00-12:00
			13:30-17:30 Mon-Sat
	Hong Kong	00852-35824770	10:00-19:00 Mon-Sat
	USA	1-812-282-2787	8:30-12:00 EST Mon-Fri
Americas	Canada		9:00-18:00 EST Sat-Sun
	Mexico	001-8008367847	08:00-20:00 CST Mon-Fri
			08:00-15:00 CST Sat

Deview	Countras		Comicollours
Region	Country	Hotline Numbers	Service Hours
	Egypt	800-2787349	09:00-18:00 Sun-Thu
	Saudi Arabia	800-1212787	09:00-18:00 Sat-Wed
Middle	UAE	00971-42958941	09:00-18:00 Sun-Thu
East +	Turkey	0090-2165243000	09:00-18:00 Mon-Fri
Africa	South Africa	0861-278772	08:00-17:00 Mon-Fri
	Israel	*6557/00972-39142800	08:00-17:00 Sun-Thu
		*9770/00972-35598555	08:30-17:30 Sun-Thu
	Romania	0040-213301786	09:00-18:30 Mon-Fri
	Bosnia Herzegovina	00387-33773163	09:00-17:00 Mon-Fri
	Bulgaria	00359-70014411	09:30-18:30 Mon-Fri
Balkan		00359-29889170	09:30-18:00 Mon-Fri
Countries	Croatia	00385-16401111	09:00-17:00 Mon-Fri
	Montenegro	00382-20608251	09:00-17:00 Mon-Fri
	Serbia	00381-112070677	09:00-17:00 Mon-Fri
	Slovenia	00368-59045400	00.00.1C00.M E
		00368-59045401	08:00-16:00 Mon-Fri
	Estonia	00372-6671796	09:00-18:00 Mon-Fri
	Latvia	00371-67408838	09:00-18:00 Mon-Fri
	Lithuania-Kaunas	00370-37329000	09:00-18:00 Mon-Fri
	Lithuania-Vilnius	00370-522101160	09:00-18:00 Mon-Fri



For more information, visit the ASUS support site at: http://support.asus.com

ASUS Contact information

ASUSTeK COMPUTER INC. (Asia Pacific)

Address15 Li-Te Road, Peitou, Taipei, Taiwan 11259Websitewww.asus.com.tw

Technical Support

Telephone	+886228943447
Support Fax	+886228907698
Online support	support.asus.com

ASUS COMPUTER INTERNATIONAL (America)

Address	800 Corporate Way, Fremont, CA 94539, USA
Telephone	+15107393777
Fax	+15106084555
Website	usa.asus.com
Online support	support.asus.com

ASUS COMPUTER GmbH (Germany and Austria)

larkort Str. 21-23, D-40880 Ratingen, Germany
+49-2102-959931
sus.com/de
u-rma.asus.com/sales

Technical Support

Telephone (Component)	+49-2102-5789555
Telephone Germany	
(System/Notebook/Eee/LCD)	+49-2102-5789557
Telephone Australia	
(System/Notebook/Eee/LCD)	+43-820-240513
Support Fax	+49-2102-959911
Online support	support.asus.com

Manufacturer:	ASUSTeK Computer Inc.		
	Tel:	+886-2-2894-3447	
	Address:	4F, No. 150, LI-TE RD., PEITOU, TAIPEI 112, TAIWAN	
Authorised			
representative in Europe:	Address:	HARKORT STR. 21-23, 40880 RATINGEN, GERMANY	

AEEE Yönetmeliğine Uygundur.
